

Spare parts 2022/2023.

Sanitary and Heating Fittings



Plant 1
Production with administration and training centre



Plant 2
Production with logistics centre

Quality and Innovation.

SCHELL - reliable partner for sanitary and heating - can look back over more than 85 years of experience in the design and manufacture of practical sanitary and heating fittings.

High-quality basic materials and automated manufacturing processes are the foundation for quality fittings »Made by SCHELL in Germany«.

Furthermore, SCHELL continuously tackles new topics and turns them into innovative products which genuinely benefit to users and processors. This includes the economical use of resources such as drinking water, as well as high demands on design, uncompromising quality, easy installation and a comprehensive service tailored to the requirements of this professional trade.

SCHELL fittings fulfil many national and international approvals and have been awarded several prizes. This - together with the development of a customer-oriented product policy - is a further reason why our customers repeatedly choose SCHELL for decades. They have made the company successful.

With over 450 employees at its Olpe site, SCHELL is today a leading manufacturer of angle valves and appliance connection fittings and enjoys an excellent reputation throughout Europe and in many non-European countries. In addition, SCHELL is regarded as a Specialist for networked fittings and drinking water hygiene in public and commercial sanitary rooms. Our partners include planners and investors.

As a globally active family-owned company, we live the balance between tradition, change and the

future every day. We use the major trends of our time, such as digitization or sustainability, as opportunities for further development - for us and our customers.

For further information, please contact us.

SCHELL GmbH & Co. KG
Raiffeisenstraße 31
57462 Olpe
Germany

Telefon +49 2761 892-0
Telefax +49 2761 892-199
info@schell.eu
www.schell.eu

 **Weltmarktführer aus
Südwestfalen**
World market leader

Article number	MPG	Page	GTIN-Code	Article number	MPG	Page	GTIN-Code	Article number	MPG	Page	GTIN-Code
00 904 00 99	29	492	4021163164022	01 592 06 99	19	442	4021163159707	03 285 15 99	29	477	4021163151992
00 907 00 99	29	472	4021163161168	01 593 06 99	19	441	4021163159745	03 285 64 99	29	477	4021163151985
00 908 00 99	29	472	4021163161175	01 597 00 99	19	399	4021163162134	10 249 06 99	29	476	4021163153576
00 910 00 99	19	396	4021163163254	01 875 00 99	13	437	4021163149794	10 250 06 99	19	412	4021163160192
00 918 00 99	19	428	4021163166668	01 925 00 99	19	427	4021163160086	10 257 06 99	19	397	4021163163230
00 922 06 99	19	459	4021163169379	01 948 06 99	19	421	4021163165203	10 258 06 99	19	396	4021163163223
00 923 00 99	19	404	4021163168907	01 948 28 99	19	421	4021163165197	10 266 06 99	19	405	4021163169171
00 924 00 99	19	418	4021163169201	01 949 06 99	19	421	4021163165180	10 267 06 99	19	405	4021163169157
00 925 00 99	19	405	4021163169126	01 949 28 99	19	421	4021163165173	10 268 06 99	19	415	4021163170672
01 019 00 99	19	494	4021163165951	02 004 00 99	19	420	4021163150940	21 700 00 99	19	400	4021163161113
01 020 00 99	19	494	4021163165944	02 005 00 99	19	420	4021163150957	21 701 00 99	19	399	4021163162189
01 021 06 99	29	500	4021163166057	02 007 00 99	19	431	4021163151732	21 702 00 99	19	399	4021163162172
01 022 00 99	19	398	4021163166071	02 102 06 99	19	413	4021163137873	21 703 00 99	19	399	4021163164046
01 023 00 99	19	398	4021163166064	02 103 06 99	19	413	4021163137866	21 704 00 99	19	399	4021163164039
01 024 00 99	19	398	4021163166088	02 104 00 99	19	413	4021163137859	21 705 00 99	19	421	4021163165210
01 025 00 99	19	398	4021163166095	02 116 06 99	19	410	4021163141863	21 706 00 99	19	421	4021163165234
01 224 00 99	29	468	4021163138702	02 121 06 99	19	399	4021163143874	21 707 00 99	19	421	4021163165241
01 301 06 99	19	408	4021163151961	02 129 06 99	19	410	4021163147278	21 853 06 99	19	461	4021163168891
01 303 06 99	19	440	4021163156898	02 134 06 99	19	410	4021163148251	22 145 00 99	39	508	4021163138740
01 312 00 99	19	398	4021163136524	02 135 06 99	19	410	4021163149364	22 146 00 99	39	508	4021163138764
01 313 00 99	19	398	4021163136500	02 144 06 99	19	415	4021163156805	22 148 00 99	29	489	4021163142082
01 315 06 99	13	396	4021163159158	02 145 06 99	19	416	4021163156799	22 165 00 99	19	416	4021163157918
01 316 00 99	19	396	4021163161106	02 152 06 99	19	412	4021163161854	22 168 00 99	19	424	4021163159998
01 319 00 99	29	499	4021163127706	02 160 06 99	19	409	4021163162356	22 234 00 99	39	506	4021163158625
01 381 06 99	19	398	4021163135213	02 161 00 99	19	396	4021163162363	22 235 00 99	39	506	4021163158649
01 382 06 99	19	398	4021163135220	02 184 00 99	19	415	4021163170597	22 236 00 99	39	507	4021163158632
01 383 00 99	19	398	4021163135237	03 048 00 99	29	474	4021163153590	22 237 00 99	39	509	4021163163476
01 418 00 99	29	468	4021163142471	03 049 00 99	29	474	4021163153583	22 238 00 99	39	509	4021163163483
01 442 00 99	29	420	4021163140361	03 080 00 99	29	478	4021163162301	22 239 00 99	39	509	4021163163490
01 451 00 99	19	398	4021163140316	03 081 00 99	29	478	4021163162318	23 036 06 99	29	489	4021163140286
01 456 06 99	29	500	4021163140293	03 082 00 99	29	478	4021163162325	23 042 06 99	29	486	4021163143669
01 458 00 99	29	499	4021163140538	03 083 00 99	29	478	4021163162349	23 043 06 99	29	485	4021163143652
01 468 00 99	20	468	4021163142280	03 084 00 99	29	478	4021163162332	23 046 06 99	29	483	4021163143584
01 489 00 99	19	459	4021163169386	03 128 00 99	29	479	4021163166835	23 047 06 99	29	484	4021163143607
01 504 00 99	29	499	4021163150902	03 129 00 99	29	479	4021163166828	23 050 06 99	29	503	4021163143744
01 513 00 99	19	437	4021163151114	03 132 00 99	29	479	4021163166811	23 068 06 99	19	448	4021163151589
01 519 00 99	19	400	4021163151176	03 133 00 99	29	479	4021163166804	23 069 06 99	19	430	4021163151565
01 521 06 99	19	400	4021163151169	03 134 00 99	29	479	4021163166798	23 073 06 99	29	484	4021163150865
01 522 00 99	19	408	4021163151954	03 135 00 99	29	479	4021163166781	23 074 06 99	19	431	4021163151374
01 524 00 99	22	497	4021163151954	03 137 00 99	29	480	4021163166774	23 077 06 99	29	493	4021163152395
01 525 00 99	29	497	4021163155204	03 138 00 99	29	480	4021163166767	23 077 15 99	29	493	4021163152371
01 526 00 99	29	497	4021163155228	03 141 00 99	29	479	4021163166743	23 079 28 99	29	493	4021163152388
01 527 00 99	29	497	4021163155198	03 204 06 99	29	469	4021163101911	23 080 28 99	22	497	4021163151930
01 528 00 99	29	497	4021163155181	03 262 06 99	29	477	4021163147490	23 082 06 99	19	451	4021163156881
01 529 00 99	22	497	4021163155211	03 262 12 99	29	477	4021163147506	23 088 06 99	29	471	4021163161144
01 530 00 99	29	496	4021163155174	03 262 28 99	29	477	4021163147599	23 088 15 99	29	471	4021163161151
01 544 00 99	19	402	4021163155532	03 263 06 99	29	477	4021163147513	23 103 06 99	19	427	4021163159981
01 557 00 99	13	401	4021163157222	03 263 12 99	29	477	4021163147520	23 104 06 99	19	427	4021163160000
01 589 06 99	19	427	4021163159738	03 273 00 99	29	476	4021163148619	23 107 06 99	19	409	4021163162387
01 590 06 99	19	465	4021163159721	03 276 00 99	29	476	4021163149111	23 108 06 99	19	409	4021163162370
01 591 06 99	19	450	4021163159714	03 285 06 99	29	477	4021163151978	23 109 06 99	19	427	4021163163827


Article number	MPG	Page	GTIN-Code	Article number	MPG	Page	GTIN-Code	Article number	MPG	Page	GTIN-Code
23 111 06 99	19	459	4021163168877	27 830 06 99	19	424	4021163160093	29 522 06 99	19	436	4021163144086
23 301 00 99	29	489	4021163142099	28 511 06 99	19	398	4021163135244	29 523 06 99	19	444	4021163151220
23 767 06 99	29	483	4021163143645	28 512 06 99	19	398	4021163135251	29 524 00 99	19	436	4021163144109
23 768 06 99	29	501	4021163143720	28 629 06 99	39	508	4021163138726	29 545 06 99	19	423	4021163150933
23 769 06 99	29	501	4021163143737	28 632 06 99	39	508	4021163138757	29 600 06 99	19	409	4021163149142
23 777 06 99	29	488	4021163163605	28 918 06 99	19	408	4021163155495	29 613 00 99	19	430	4021163151596
24 746 06 99	19	421	4021163151244	28 919 06 99	19	398	4021163154139	29 618 00 99	29	484	4021163150872
24 747 06 99	19	421	4021163151251	28 922 06 99	19	398	4021163160857	29 623 06 99	19	430	4021163151725
24 748 06 99	19	421	4021163151268	28 931 00 99	19	404	4021163169072	29 625 00 99	29	471	4021163152340
24 765 06 99	19	425	4021163161359	28 932 00 99	19	404	4021163169065	29 626 00 99	29	471	4021163152333
24 766 06 99	19	425	4021163161342	28 933 00 99	19	404	4021163169041	29 628 00 99	29	494	4021163152357
24 767 06 99	19	425	4021163161335	28 934 00 99	19	418	4021163169089	29 634 00 99	19	425	4021163160116
24 768 06 99	19	425	4021163161328	28 935 00 99	19	418	4021163169096	29 639 00 99	19	446	4021163153941
25 036 00 99	29	473	4021163157284	29 197 00 99	19	459	4021163166903	29 640 00 99	19	446	4021163153934
25 037 00 99	29	473	4021163157291	29 213 06 99	19	461	4021163168372	29 643 00 99	29	470	4021163154177
25 231 06 99	19	423	4021163158526	29 214 00 99	29	480	4021163170146	29 644 00 99	29	470	4021163154184
25 231 28 99	19	423	4021163158519	29 215 00 99	29	480	4021163170139	29 652 00 99	19	422	4021163154467
25 232 06 99	19	447	4021163158502	29 216 00 99	29	480	4021163170122	29 653 00 99	19	422	4021163154474
25 232 28 99	19	447	4021163158496	29 217 00 99	29	481	4021163170115	29 659 00 99	19	443	4021163159752
25 233 06 99	19	445	4021163158489	29 218 00 99	29	481	4021163170108	29 660 00 99	19	431	4021163156201
25 233 28 99	19	445	4021163158472	29 219 00 99	29	481	4021163170092	29 664 06 99	29	487	4021163156393
25 234 06 99	19	437	4021163158465	29 220 00 99	29	481	4021163170085	29 669 06 99	29	487	4021163156751
25 234 28 99	19	437	4021163158458	29 221 00 99	29	481	4021163170078	29 670 00 99	29	472	4021163156911
25 235 06 99	19	439	4021163158441	29 222 00 99	29	481	4021163170061	29 676 00 99	19	427	4021163160123
25 235 28 99	19	439	4021163158434	29 223 00 99	29	481	4021163170054	29 677 00 99	19	427	4021163160017
25 661 06 99	29	472	4021163157277	29 224 00 99	29	481	4021163170047	29 678 06 99	19	427	4021163160024
25 677 00 99	29	473	4021163167344	29 225 00 99	29	482	4021163170030	29 679 00 99	19	465	4021163160031
25 678 00 99	29	473	4021163167337	29 226 00 99	29	482	4021163170023	29 680 06 99	19	425	4021163160048
25 815 06 99	29	487	4021163115390	29 227 00 99	29	482	4021163170016	29 681 00 99	19	465	4021163160079
25 838 06 99	19	403	4021163155518	29 228 00 99	29	482	4021163170009	29 682 06 99	19	443	4021163160642
25 880 28 99	29	473	4021163157260	29 229 00 99	29	482	4021163169997	29 684 00 99	19	427	4021163161380
25 881 28 99	29	473	4021163157246	29 230 00 99	29	482	4021163169980	29 685 00 99	19	425	4021163161373
25 883 06 99	19	411	4021163159370	29 231 00 99	29	482	4021163169973	29 686 06 99	19	425	4021163161397
25 896 00 99	39	506	4021163164213	29 232 00 99	29	482	4021163169966	29 687 00 99	19	425	4021163161403
25 897 06 99	19	431	4021163163742	29 233 00 99	29	482	4021163169959	29 688 06 99	19	427	4021163161410
25 944 00 99	19	411	4021163144680	29 300 00 99	29	487	4021163116991	29 689 00 99	19	397	4021163163186
25 983 06 99	19	417	4021163156836	29 317 06 99	29	501	4021163117066	29 690 00 99	19	397	4021163163155
25 988 00 99	19	405	4021163156782	29 407 00 99	29	469	4021163102284	29 691 00 99	19	397	4021163163162
25 989 06 99	19	425	4021163160109	29 416 00 99	29	498	4021163102291	29 692 00 99	19	397	4021163163179
25 990 00 99	19	412	4021163161908	29 420 00 99	29	487	4021163132298	29 693 00 99	19	397	4021163163193
25 992 00 99	19	409	4021163162776	29 421 06 99	29	487	4021163132427	29 694 00 99	19	397	4021163163209
25 993 06 99	19	456	4021163166194	29 448 00 99	29	498	4021163134131	29 695 00 99	19	397	4021163163216
25 995 06 99	19	428	4021163166842	29 455 00 99	29	469	4021163134322	29 696 00 99	29	488	4021163163414
25 998 00 99	19	415	4021163170634	29 479 00 99	29	484	4021163143614	29 697 00 99	19	459	4021163166934
26 002 06 99	29	501	4021163163445	29 490 00 99	29	483	4021163143591	29 698 00 99	20	480	4021163163520
26 003 00 99	29	492	4021163163452	29 492 00 99	29	502	4021163143935	29 699 00 99	20	480	4021163163513
26 004 00 99	29	473	4021163163759	29 493 00 99	29	503	4021163143690	29 700 00 99	19	396	4021163163728
26 005 00 99	29	473	4021163167351	29 517 06 99	19	423	4021163151213	29 701 06 99	19	396	4021163163735
26 007 06 99	29	487	4021163115451	29 518 00 99	19	440	4021163144055	29 707 00 99	19	429	4021163166644
26 072 06 99	29	489	4021163135145	29 519 00 99	19	441	4021163144062	29 708 00 99	19	429	4021163166637
27 820 06 99	23	502	4021163132038	29 521 00 99	19	441	4021163144079	29 709 00 99	19	429	4021163166620

Article number	MPG	Page	GTIN-Code	Article number	MPG	Page	GTIN-Code	Article number	MPG	Page	GTIN-Code
29 715 00 99	19	463	4021163167030	75 622 06 99	29	503	4021163143775				
29 730 00 99	19	419	4021163168563	76 594 28 99	29	499	4021163147896				
29 733 00 99	19	409	4021163169416	77 400 00 99	29	487	4021163123227				
29 735 00 99	19	444	4021163169423	77 412 06 99	19	403	4021163155525				
29 736 00 99	19	409	4021163169430	77 610 00 99	19	398	4021163148442				
29 741 00 99	19	406	4021163169188	77 613 00 99	29	476	4021163149128				
29 742 00 99	19	405	4021163169225	77 614 00 99	29	476	4021163149135				
29 744 00 99	19	404	4021163169256	77 623 00 99	19	400	4021163151190				
29 745 00 99	19	432	4021163169119	77 638 00 99	29	474	4021163153668				
29 746 00 99	19	432	4021163169218	77 639 00 99	29	475	4021163153606				
29 747 00 99	19	418	4021163169263	77 640 00 99	29	475	4021163153613				
29 748 06 99	19	407	4021163169195	77 641 00 99	29	475	4021163153620				
29 749 06 99	19	405	4021163169249	77 642 00 99	29	475	4021163153637				
29 750 06 99	19	433	4021163169270	77 646 00 99	19	411	4021163159431				
29 751 06 99	19	418	4021163169294	77 662 00 99	19	415	4021163156812				
29 752 06 99	19	419	4021163169287	77 673 00 99	13	437	4021163158540				
29 753 06 99	19	405	4021163169232	77 678 00 99	19	451	4021163159936				
29 754 00 99	19	419	4021163169164	77 690 00 99	19	399	4021163162165				
29 755 06 99	19	405	4021163168976	77 698 00 99	29	501	4021163163445				
47 996 09 99	39	506	4021163129953	77 700 00 99	29	473	4021163165890				
48 006 06 99	35	506	4021163132731	77 701 00 99	19	412	4021163161847				
48 054 06 99	19	455	4021163159387	77 705 00 99	19	451	4021163161786				
48 055 06 99	19	452	4021163159394	77 709 00 99	19	396	4021163163247				
48 069 06 99	19	455	4021163159400	77 734 00 99	19	421	4021163165227				
50 752 00 99	29	488	4021163163407	78 230 03 99	39	506	4021163139624				
60 544 06 99	19	452	4021163162158	78 241 00 99	19	424	4021163161366				
61 822 06 99	39	508	4021163147360								
62 100 06 99	29	487	4021163160604								
62 506 06 99	29	485	4021163143676								
62 507 06 99	29	503	4021163143768								
62 521 06 99	39	508	4021163149104								
62 805 00 99	19	399	4021163144116								
63 011 00 99	19	451	4021163159943								
63 014 00 99	19	457	4021163165920								
64 755 00 99	19	455	4021163159417								
64 756 00 99	19	452	4021163159424								
66 083 00 99	29	500	4021163132281								
66 190 00 99	19	451	4021163159950								
69 945 03 99	39	506	4021163154535								
69 946 03 99	39	506	4021163154528								
69 956 06 99	19	440	4021163157468								
69 967 06 99	19	424	4021163160062								
69 968 06 99	19	426	4021163160055								
69 982 03 99	39	506	4021163159066								
69 993 06 99	19	463	4021163168884								
69 996 06 99	19	414	4011163170573								
69 997 06 99	19	414	4021163170580								
71 506 00 99	19	399	4021163151206								
72 847 00 99	29	500	4021163128567								
72 872 00 99	19	413	4021163137880								
75 621 06 99	29	502	4021163143713								


Wash basin fittings

- XERIS E-T / XERIS E	396 - 397
- PURIS E / VENUS E	398 - 399
- CELIS E	400 - 401
- MODUS E / MODUS Trend E	402 - 407
- TIPUS P	408
- XERIS SC	409
- PURIS SC	410
- PETIT SC, HD-K, HD-M	411 - 412
- PURIS Line	413
- MODUS EH-T/EH, MODUS K	414 - 415
- LINUS W-E-M / W-E-V	420 - 421
- LINUS W-SC-M / W-SC-V	422 - 423
- VITUS mixed water	424 - 425
- VITUS Thermostat	426 - 428
- WALIS E	428 - 429
- LINUS W-EH-M	430
- PETIT SC	431
- MODUS E (Exposed wash basin fitting)	432 - 433


Kitchen fittings

- GRANDIS E 418 - 419

Note:



Product description	Article number	
Flow regulator with assembly key max. 5 l/min PU 1, W: 0,008 kg/pc.	02 161 00 99	
Axial solenoid valve 6 V with mounting bracket PU 1, W: 0,06 kg/pc.	00 910 00 99	
Sensor window XERIS E incl adhesive tape PU 1, , W: 0,014 kg/pc.	77 709 00 99	
Elektronik XERIS E-T with mounting screws PU 1, W: 0,05 kg/pc.	29 700 00 99	
Thermostat cartridge complete with turning handle and locking screw PU 1, W: 0,146 kg/pc.	29 701 06 99	
Fastening set for wash basin draw off taps XERIS E small u. mid. Threaded rod length M6/M8 x 92 mm PU 1, W: 0,08 kg/pc.	29 694 00 99	
Flexible hose Clean-Fix S G 3/8 IG x 400 mm with filter and backflow preventer PU 1, W: 0,074 kg/pc.	10 258 06 99	
Excerpt from product group 13 Concealed transformer 100 - 240 V / 50 - 60 Hz / 9 V For 1 - 12 CVD-Touch electronics and infrared-sensor electronics XERIS E and PURIS E, VENUS E, CELIS E from 08/2015, plug connect. for electronic three poles PU 1, W: 0,14 kg/pc.	01 315 00 99	
Transformer with plug 100 - 240 V / 50 - 60 Hz / 9 V suitable for wash basin fittings GRANDIS E and XERIS E, PURIS E, VENUS E, CELIS E from 09/2016 and for SWS Wireless manager FM plug connect. for electronic three poles PU 1, W: 0,07 kg/pc.	01 316 00 99	





Product description	Article number	
Flow regulator with assembly key max. 5 l/min PU 1, W: 0,008 kg/pc.	02 161 00 99	
Axial solenoid valve 6 V with mounting bracket PU 1, W: 0,06 kg/pc.	00 910 00 99	
Sensor window XERIS E incl adhesive tape PU 1, W: 0,014 kg/pc.	77 709 00 99	
Elektronic XERIS E with clamping fixture for XERIS E wash basin mixer small, PU 1, W: 0,06 kg/pc. for XERIS E wash basin mixer mid., PU 1, W: 0,06 kg/pc. for XERIS E wash basin mixer large, PU 1, W: 0,06 kg/pc.	29 690 00 99 29 691 00 99 29 692 00 99	
Mixing block HD-K with 2 clamping brackets PU 1, W: 0,06 kg/pc.	29 693 00 99	
Mixing block HD-M with 2 clamping brackets, adapter and mixing lever PU 1, W: 0,09 kg/pc.	29 689 00 99	
Fastening set for wash basin draw off taps XERIS E small u. mid. Threaded rod length M6/M8 x 92 mm PU 1, W: 0,08 kg/pc.	29 694 00 99	
Fastening set for wash basin draw off taps XERIS E large Threaded rod length M6/M8 x 202 mm PU 1, W: 0,11 kg/pc.	29 695 00 99	
Flexible hose Clean-Fix S G 3/8 IG x 400 mm for XERIS E wash basin fittings small / mid., with filter and backflow preventer PU 1, W: 0,07 kg/pc.	10 258 06 99	
Flexible hose Clean-Fix S G 3/8 IG x 500 mm für XERIS E wash basin fitting large, with filter and backflow preventer PU 1, W: 0,08 kg/pc.	10 257 06 99	
Excerpt from product group 13		
Concealed transformer 100 - 240 V / 50 - 60 Hz / 9 V For 1 - 12 CVD-Touch electronics and infrared-sensor electronics XERIS E and PURIS E, VENUS E, CELIS E from 08/2015, plug connect. for electronic three poles PU 1, W: 0,14 kg/pc.	01 315 00 99	
Transformer with plug 100 - 240 V / 50 - 60 Hz / 9 V suitable for wash basin fittings GRANDIS E and XERIS E, PURIS E, VENUS E, CELIS E from 09/2016 and for SWS Wireless manager FM plug connect. for electronic three poles PU 1, W: 0,07 kg/pc.	01 316 00 99	

Until October 2015





Product description	Article number	
Electronic spare part set, battery version for conversion to SCHELL electronic for PURIS E / VENUS E, PU 1, W: 0,17 kg/pc. for PURIS E with extended outlet, PU 1	01 022 00 99 01 023 00 99	
Electronic spare part set, mains adapter version for conversion to SCHELL electronic for PURIS E / VENUS E, PU 1, W: 0,22 kg/pc. for PURIS E with extended outlet, PU 1	01 024 00 99 01 025 00 99	
Sensor window PURIS E / VENUS E PU 1, W: 0,01 kg/pc.	77 610 00 99	
Cartridge valve with integrated pre-filter 6 V (Silencer) PU 1, W: 0,05 kg/pc.	01 451 00 99	
Temperature controller, complete chrome, PU 1, W: 0,09 kg/pc., PURIS HD-M chrome, PU 1, W: 0,10 kg/pc., VENUS HD-M	01 381 06 99 01 382 06 99	
Mounting screw incl. hex key PURIS / VENUS PU 1, W: 0,01 kg/pc.	01 383 00 99	
Pre-filter mixed water with backflow preventer HD-M (RV, DIN EN 1717: EB), filter, mesh size: 500 µm chrome, PU 1, W: 0,05 kg/pc., HD-M	28 511 06 99	
Pre-filter with flow restrictor ND-M filter, mesh size: 500 µm chrome, PU 1, W: 0,04 kg/pc., ND-M	28 512 06 99	
Concealed transformer 100 - 240 V / 50 - 60 Hz / 12 V suitable for wash basin fittings PURIS E, VENUS E and CELIS E PU 1, W: 0,12 kg/pc.	01 312 00 99	
Transformer with plug 100 - 240 V / 50 - 60 Hz / 12 V suitable for wash basin fittings PURIS E, VENUS E, CELIS E and MODUS E PU 1, W: 0,10 kg/pc.	01 313 00 99	
Flow regulator ECO for all SCHELL wash basin fittings PURIS, VENUS, CELIS, MODUS und PETIT. Exception are all electronic wash basin fittings low pressure mixed water (ND-M) Use / Technical Data: • Connection thread: M24X1 5 l/min regulated chrome, PU 1, W: 0,02 kg/pc. 6 l/min regulated chrome, PU 1, W: 0,02 kg/pc.	28 922 06 99 28 919 06 99	



Product description	Article number	
Electronic module for PURIS E and VENUS E with programme structure from 10/2015, incl. adapter cable <u>battery version</u> , cable length mains supply 140 mm, PU 1	21 702 00 99	
<u>mains adapter version</u> , cable length mains supply 290 mm, PU 1	21 701 00 99	
For PURIS E fittings with extended outlet (140 mm) <u>battery version</u> , cable length mains supply 140 mm, PU 1	21 703 00 99	
<u>mains adapter version</u> , cable length mains supply 290 mm, PU 1	21 704 00 99	
Sensor window PURIS E / VENUS E PU 1, W: 0,01 kg/pc.	77 610 00 99	
Cartridge valve with integrated pre-filter 6 V (Silencer) PU 1, W: 0,05 kg/pc.	01 451 00 99	
Temperature controller, complete chrome, PU 1, W: 0,09 kg/pc., PURIS HD-M chrome, PU 1, W: 0,10 kg/pc., VENUS HD-M	01 381 06 99 01 382 06 99	
Battery compartment PURIS E / VENUS E incl. 4 x 1,5 V batteries Typ AAA PU 1	01 597 00 99	
Mounting screw for fitting body PURIS E / VENUS E / CELIS E, incl. hex key PU 1	71 506 00 99	
Battery compartment holder PURIS E / VENUS E, PU 1	77 690 00 99	
Cage filter, filter, mesh size: 500 µm PU 1, W: 0,001 kg/pc.	62 805 00 99	
Pre-filter with flow restrictor ND-M filter, mesh size: 500 µm chrome, PU 1, W: 0,04 kg/pc., ND-M	28 512 06 99	
Excerpt from product group 13 Concealed transformer 100 - 240 V / 50 - 60 Hz / 9 V For 1 - 12 CVD-Touch electronics and infrared-sensor electronics XERIS E and PURIS E, VENUS E, CELIS E from 08/2015, plug connect. for electronic three poles PU 1, W: 0,14 kg/pc.	01 315 00 99	
Transformer with plug 100 - 240 V / 50 - 60 Hz / 9 V suitable for wash basin fittings GRANDIS E and XERIS E, PURIS E, VENUS E, CELIS E from 09/2016 and for SWS Wireless manager FM plug connect. for electronic three poles PU 1, W: 0,07 kg/pc.	01 316 00 99	
Flow regulator, theft sale, UNIVERSAL for all SCHELL wash basin fittings PURIS, VENUS, CELIS, MODUS und PETIT. Connection thread: M24X1. Exception are all electrical wash basin fittings, low pressure mixed water (ND-M). Flow rate: 6l/min at 3 bar flow pressure Connection thread: M24X1 chrom, PU 1, W: 0,02 kg/pc.	02 121 06 99	
Flow regulator ECO for all SCHELL wash basin fittings PURIS, VENUS, CELIS, MODUS und PETIT. Connection thread: M24X1. Exception are all electrical wash basin fittings, low pressure mixed water (ND-M) <u>5 l/min regulated</u> , chrome, PU 1, W: 0,02 kg/pc. <u>6 l/min regulated</u> , chrome, PU 1, W: 0,02 kg/pc.	28 922 06 99 28 919 06 99	

Bis August 2015



Product description

Article number

Sensor window CELIS E

with nano coating and adhesive tap

PU 1, W: 0,01 kg/pc.

77 623 00 99

Electronic module CELIS E

for CELIS fittings till August 2015

as replacement for electronic module 01 518 00 99

PU 1, W: 0,15 kg/pc.

21 700 00 99

**Ordering information:**

Please observe by the electronic module CELIS E 21 700 00 99 the respective power supply see article 01 557 00 99 or 01 316 00 99 page 401 must also be ordered. This is important for fittings until production 08/2015.

Cartridge valve with integrated pre-filter 6 V
(Silencer)

PU 1, W: 0,05 kg/pc.

01 451 00 99

Mounting screw CELIS E

for fitting body

PU 1, W: 0,005 kg/pc.

71 506 00 99

Temperature controller CELIS E, complete
with handle, adapter and regulation arbor

chrome, PU 1, W: 0,05 kg/pc.

01 521 06 99

Battery module CELIS E / TIPUS P

incl. 9 V alkaline block battery

PU 1, W: 0,14 kg/pc.

01 519 00 99

Concealed transformer 100 - 240 V / 50 - 60 Hz / 12 V

suitable for shower panel LINUS DP-P-T,
concealed shower LINUS Basic D-P-T,
wash basin fittings PURIS E, VENUS E
and CELIS E

PU 1, W: 0,12 kg/pc.

01 312 00 99

Transformer with plug 100 - 240 V / 50 - 60 Hz / 12 V

suitable for wash basin fittings PURIS E, VENUS E,
CELIS E und MODUS E

PU 1, W: 0,10 kg/pc.

01 313 00 99



Pre-filter mixed water with backflow preventer HD-M

(RV, DIN EN 1717: EB), filter, mesh size: 500 µm

chrome, PU 1, W: 0,05 kg/pc., HD-M

28 511 06 99

Ab August 2015




Product description	Article number	
Sensor window CELIS E with nano coating and adhesive tap PU 1, W: 0,01 kg/pc.	77 623 00 99	
Electronic module CELIS E for wash basin fittings CELIS from August 2015 PU 1, W: 0,15 kg/pc.	21 700 00 99	
Cartridge valve with integrated pre-filter 6 V (Silencer) PU 1, W: 0,05 kg/pc.	01 451 00 99	
Mounting screw CELIS E for fitting body PU 1, W: 0,005 kg/pc.	71 506 00 99	
Temperature controller CELIS E, complete with handle, adapter and regulation arbor chrome, PU 1, W: 0,05 kg/pc.	01 521 06 99	
Excerpt from product group 13 Battery compartment universal 6 V for electronic wash basin fittings incl. 4 alkaline batteries type AA PU 1, W: 0,20 kg/pc.	01 557 00 99	
Excerpt from product group 13 Concealed transformer 100 - 240 V / 50 - 60 Hz / 9 V For 1 - 12 CVD-Touch electronics and infrared-sensor electronics XERIS E and PURIS E, VENUS E, CELIS E from 08/2015, plug connect for electronic three poles PU 1, W: 0,14 kg/pc.	01 315 00 99	
Transformer with plug 100 - 240 V / 50 - 60 Hz / 9 V suitable for wash basin fittings GRANDIS E and XERIS E, PURIS E, VENUS E, CELIS E from 09/2016 and for SWS Wireless manager FM plug connect. for electronic three poles PU 1, W: 0,07 kg/pc.	01 316 00 99	
Cage filter, filter, mesh size: 500 µm PU 1, W: 0,001 kg/pc.	62 805 00 99	

Spare parts wash basin-,
Kitchen fittings



Product description	Article number	
Cartridge valve with integrated pre-filter 6 V (Silencer) PU 1, W: 0,05 kg/pc.	01 451 00 99	
Electronic module MODUS E PU 1, W: 0,17 kg/pc.	01 544 00 99	



Product description	Article number	
---------------------	----------------	--

Cover battery compartment MODUS E
chrome, PU 1, W: 0,03 kg/pc.

77 412 06 99

Flow regulator ECO
for all SCHELL wash basin fittings PURIS, VENUS, CELIS, MODUS and PETIT.
Exception are all electronic wash basin fittings low pressure mixed water (ND-M)
Use / Technical Data:
• Connection thread: M24X1
5 l/min regulated
chrome, PU 1, W: 0,02 kg/pc.

28 922 06 99

6 l/min regulated
chrome, PU 1, W: 0,02 kg/pc.

28 919 06 99

Temperature controller MODUS E, complete
chrome, PU 1, W: 0,07 kg/pc.

25 838 06 99



Cage filter
filter, mesh size: 500 µm
PU 1, W: 0,001 kg/pc.

62 805 00 99


Transformer with plug 100 - 240 V / 50 - 60 Hz / 12 V
suitable for wash basin fittings PURIS E, VENUS E, CELIS E und MODUS E
PU 1, W: 0,10 kg/pc.

01 313 00 99

Spare parts wash basin-,
Kitchen fittings





Product description	Article number
Flow regulator without sleeve, for reducing the flow rate with the same level of comfort. 1,32 l/min pressure independent, 0,35 GPM, PU 1 3,0 l/min pressure independent, 0,79 GPM, PU 1 5,0 l/min pressure independent, 1,32 GPM, PU 1	28 931 00 99 28 932 00 99 28 933 00 99
Solenoid valve, bistable 6 V, DN 5 PU 1	00 923 00 99
Electronic module MODUS E PU 1	29 744 00 99




Product description	Article number	
Temperature controller MODUS E, complete incl. screw PU 1	29 749 06 99	
Flexible hose with stainless steel wire braiding PU 1, 450 mm, G 3/8 Union nut, M8x1 For DZR versions 02 176 06 99 and 02 177 06 99 PU 1, 450 mm, G 1/2 Union nut, M8x1	10 266 06 99 10 267 06 99	
Pre-filter mixed water MODUS E with backflow preventer and sieve PU 1, G 3/8 IG/AG, mesh size 250 µm For DZR versions 02 176 06 99 and 02 177 06 99 PU 1, G 1/2 IG/AG, mesh size 250 µm	29 753 06 99 29 755 06 99	
Fastening set for wash basin draw off taps Threaded rod length M 8 x 85 mm PU 1, W: 0,08 kg/pc.	25 988 00 99	
Battery compartment universal 6 V suitable for electronic wash basin fitting MODUS E from 10/2020 PU 1	29 742 00 99	
Transformer with plug 100 - 240 V / 50 - 60 Hz / 6 V suitable for electronic wash basin fitting MODUS E from 10/2020 PU 1	00 925 00 99	

Spare parts wash basin-,
Kitchen fittings




Product description	Article number	
Flow regulator without sleeve, for reducing the flow rate with the same level of comfort. 1,32 l/min pressure independent, 0,35 GPM, PU 1 3,0 l/min pressure independent, 0,79 GPM, PU 1 5,0 l/min pressure independent, 1,32 GPM, PU 1	28 931 00 99 28 932 00 99 28 933 00 99	
Solenoid valve, bistable 6 V, DN 5 PU 1	00 923 00 99	
Electronic module for MODUS Trend E UE 1	29 741 00 99	



Product description	Article number	
Temperature controller MODUS Trend E, complete incl. screw PU 1	29 748 06 99	
Flexible hose PU 1, 450 mm, G 3/8 Union nut, M8x1	10 266 06 99	
Pre-filter mixed water MODUS E with backflow preventer and sieve PU 1, G 3/8 IG/AG, mesh size 250 µm	29 753 06 99	
Fastening set for wash basin draw off taps Threaded rod length M 8 x 85 mm PU 1, W: 0,08 kg/pc.	25 988 00 99	
Battery compartment universal 6 V suitable for electronic wash basin fitting MODUS E from 10/2020 PU 1	29 742 00 99	
Transformer with plug 100 - 240 V / 50 - 60 Hz / 6 V suitable for electronic wash basin fitting MODUS E from 10/2020 PU 1	00 925 00 99	

Spare parts wash basin-,
Kitchen fittings



Product description	Article number	
---------------------	----------------	--

Electronic module with cover TIPUS P

ON/OFF/time limit

Use / Technical Data:

Electronic for adjustment of low time 4 to 120 S

chrome, PU 1, W: 0,09 kg/pc.

01 301 06 99



Flow regulator TIPUS P

Use / Technical Data:

Flow rate: 6l/min at 3 bar flow pressure

chrome, PU 1, W: 0,01 kg/pc.

28 918 06 99



Cartridge valve with integrated prefilter 6 V

incl. adapter cable

(Silencer)

PU 1, W: 0,05 kg/pc.

01 451 0099



Supporting housing TIPUS P

for cartridge solenoid valve

PU 1, W: 0,04 kg/pc.

01 522 00 99




Battery module CELIS E / TIPUS P

incl. 9 V alkaline block battery


PU 1, W: 0,14 kg/pc.

01 519 00 99




Operating handle XERIS SC-M
with pressure spring
chrome, PU 1

23 107 06 99



Operating handle XERIS SC-K
with pressure spring
chrome, PU 1

23 108 06 99



2 Limiting pins with discharge ring
for XERIS SC-M / SC-K
chrome, PU 1

02 160 06 99



Flow regulator, theft sale
incl. key
Use / Technical Data:
Flow rate: 5 l/min independent of pressure
PU 1

02 161 00 99



Cage filter
filter, mesh size: 500 µm
PU 1, W: 0,001 kg/pc.

62 805 00 99



NEW

Self-closing cartridge
PETIT SC, XERIS SC, PURIS SC

mixed water
for taps from october Oktober 2006
PU 1, replaced cartridge 29 637 00 99, 29 716 00 99

29 736 00 99

cold water/premixed water
for taps from october Oktober 2006
PU 1, replaced cartridge 29 638 00 99, 29 651 00 99, 29 721 00 99

29 733 00 99



NEW

Valve disc
for self-closing taps, mixed water
PU 1, W: 0,02 kg/pc.

29 600 06 99





Fastening set for wash basin draw off taps
Threaded rod length M 8 x 85 mm
PU 1, W: 0,08 kg/pc.

25 988 00 99



Fastening set for wash basin draw off taps
XERIS mid.
Threaded rod length M 8 x 110 mm
PU 1, W: 0,08 kg/pc.

25 992 00 99



Product description

Article number

① Operating handle PURIS SC-M

mixed water
for fittings from October 2006
with pressure spring

chrome, PU 1, W: 0,15 kg/pc.

02 135 06 99



Can not be used for taps
before October 2006

② Conversion set PURIS SC-M

mixed water
for taps before October 2006
with operating handle, slit ring, pressure spring and cartridge
chrome, PU 1, W: 0,28 kg/pc.

02 129 06 99

③ Operating handle PURIS SC-K

cold water / premixed water
for taps from October 2006
with pressure spring

chrome, PU 1, W: 0,15 kg/pc.

02 116 06 99



Can not be used for taps
before October 2006

④ Conversion set PURIS SC-K

cold water / premixed water
for taps before October 2006
with operating handle, slit ring, pressure spring

chrome, PU 1, W: 0,13 kg/pc.

02 134 06 99

NEW

Self-closing cartridge
PETIT SC, XERIS SC, PURIS SC

mixed water
for taps from October 2006
PU 1, replaced cartridge 29 637 00 99, 29 716 00 99

29 736 00 99

cold water/premixed water
for taps from October 2006
PU 1, replaced cartridge 29 638 00 99, 29 651 00 99,
29 721 00 99

29 733 00 99

NEW

Valve disc

for self-closing taps, mixed water

PU 1, W: 0,02 kg/pc.

29 600 06 99

Flow regulator, theft sale, UNIVERSAL

for all SCHELL wash basin fittings PURIS, VENUS, CELIS,
MODUS and PETIT.
Exception are all electronical wash basin fittings,
low pressure mixed water (ND-M).

Flow rate: 6l/min at 3 bar flow pressure
connection thread M24X1

chrome, PU 1, W: 0,02 kg/pc.

02 121 06 99

Flow regulator ECO

for all SCHELL wash basin fittings PURIS, VENUS,
CELIS, MODUS and PETIT.
Exception are all electronical wash basin fittings,
low pressure mixed water (ND-M)

Use / Technical Data:

- connection thread M24X1

5 l/min regulated



chrome, PU 1, W: 0,02 kg/pc.

28 922 06 99

6 l/min regulated

chrome, PU 1, W: 0,02 kg/pc.

28 919 06 99



Operating handle PETIT SC
Operating handle with pressure spring and discharge ring
chrome, PU 1, W: 0,13 kg/pc.
Version DZR, PU 1

25 883 06 99
25 849 06 99



**Self-closing cartridge
PETIT SC, XERIS SC, PURIS SC**
cold water/pre-mixed water
for taps from October 2006
PU 1, replaced cartridge 29 638 00 99, 29 651 00 99,
29 721 00 99

29 733 00 99



Discharge ring PETIT SC
discharge ring with O-Ring
plastic gray, PU 1, W: 0,007 kg/pc.

77 646 00 99



Flow regulator, theft sale, UNIVERSAL
for all SCHELL wash basin fittings PURIS, VENUS, CELIS,
MODUS and PETIT.
Exception are all electronical wash basin fittings,
low pressure mixed water (ND-M).
Flow rate: 6l/min at 3 bar flow pressure
connection thread M24X1
chrome, PU 1, W: 0,02 kg/pc.

02 121 06 99



Flow regulator ECO
for all SCHELL wash basin fittings PURIS, VENUS,
CELIS, MODUS and PETIT.
Exception are all electronical wash basin fittings,
low pressure mixed water (ND-M)
Use / Technical Data:
• connection thread M24X1
5 l/min regulated
chrome, PU 1, W: 0,02 kg/pc.
6 l/min regulated
chrome, PU 1, W: 0,02 kg/pc.


28 922 06 99
28 919 06 99



Fastening set PETIT SC
for wash basin connection
PU 1, W: 0,026 kg/pc.

25 944 00 99

Spare parts wash basin-
Kitchen fittings



Product description

Article number

Operating handle PETIT SC-M

Operating handle with pressure spring and discharge ring
chrome, PU 1, W: 0,12 kg/pc.

02 152 06 99

Self-closing cartridge

PETIT SC, XERIS SC, PURIS SC

mixed water

for taps from october Oktober 2006

PU 1, replaced cartridge 29 637 00 99, 29 716 00 99

29 736 00 99

Valve disc

for self-closing taps, mixed water

PU 1, W: 0,02 kg/pc.

29 600 06 99

Discharge ring PETIT SC-M

discharge ring with O-Ring

plastic gray, PU 1, W: 0,007 kg/pc.

77 701 00 99

Flow regulator, theft sale, UNIVERSAL

for all SCHELL wash basin fittings PURIS, VENUS, CELIS,
CELIS, MODUS and PETIT. Exception are all electronical wash
basin fittings, low pressure mixed water (ND-M).

Flow rate: 6l/min at 3 bar flow pressure
connection thread M24X1

chrome, PU 1, W: 0,02 kg/pc.

02 121 06 99

Flow regulator ECO

for all SCHELL wash basin fittings PURIS, VENUS, CELIS,
MODUS and PETIT.

Exception are all electronical wash basin fittings,
low pressure mixed water (ND-M)

Use / Technical Data:

• connection thread M24X1

5 l/min regulated

chrome, PU 1, W: 0,02 kg/pc.

28 922 06 99

6 l/min regulated

chrome, PU 1, W: 0,02 kg/pc.

28 919 06 99

Flexible hose Clean-Fix-S with backflow preventer

Union nut G 3/8 IG x M 8 x 1

length 380 mm, PU 1, W: 0,06 kg/pc.

10 250 06 99

Cage filter

filter, mesh size: 500 µm

PU 1, W: 0,001 kg/pc.

62 805 00 99

Fastening set PETIT SC-M



PU 1, W: 0,073 kg/pc.

25 990 00 99




Product description	Article number	
Mounting screw for operating handle PU 1, W: 0,001 kg/pc.	72 872 00 99	
Operating handle solid brass chrome, PU 1, W: 0,23 kg/pc.	02 102 06 99	
Cap and screw fitting chrome, PU 1, W: 0,20 kg/pc.	02 103 06 99	
Cartridge with hot water limiter and adjustable volume control PU 1, W: 0,06 kg/pc.	02 104 00 99	
Flow regulator ECO for all SCHELL wash basin mixers PURIS, VENUS, CELIS, MODUS and PETIT. Exception are all electronical wash basin fittings, low pressure mixed water (ND-M) Use / Technical Data: • connection thread M24X1 <u>5 l/min regulated</u> chrome, PU 1, W: 0,02 kg/pc. <u>6 l/min regulated</u> chrome, PU 1, W: 0,02 kg/pc.	28 922 06 99 28 919 06 99	


Spare parts wash basin-,
Kitchen fittings



Product description	Article number
Operating handle MODUS EH-T / EH short, incl. cap, screw an key chrome, PU 1	69 997 06 99
Bracket handle MODUS EH-T / EH incl. cap, screw an key chrome, PU 1	69 996 06 99
Flow regulator ECO for all SCHELL wash basin fittings PURIS, VENUS, CELIS, MODUS und PETIT. Exception are all electronic wash basin fittings low pressure mixed water (ND-M) Use / Technical Data: • Connection thread: M24X1 5 l/min regulated chrome, PU 1, W: 0,02 kg/pc.	28 922 06 99



Product description	Article number	
Wall cover plate MODUS mit screw connection piece chrome, PU 1, W: 0,01 kg/pc.	02 144 06 99	
Cartridge for MODUS EH with hot water limiter and adjustable volume control for article 02 181 06 99 and 02 183 06 99 PU 1, W: 0,06 kg/pc.	02 104 00 99	
Cartridge for MODUS EH-T with thermostat max. 38 °C for article 02 180 06 99 and 02 182 06 99 PU 1, W: 0,06 kg/pc.	02 184 00 99	
Seal disc MODUS with rubber gasket PU 1, W: 0,004 kg/pc.	77 662 00 99	
Flexible hose Clean-Fix DN 6 with backflow preventer Union nut G 3/8 IG x M 8 x 1 length 440 mm, PU 1	10 268 06 99	
Cage filter filter, mesh size: 500 µm PU 1, W: 0,001 kg/pc.	62 805 00 99	
Fastening set for wash basin draw off taps PU 1	25 998 00 99	



Product description


Article number

Wall cover plate MODUS K, HD-K

mit screw connection piece

chrome, PU 1

02 145 06 99

**Ceramic head part MODUS K**

PU 1, W: 0,07 kg/pc.

22 165 00 99

**Flow regulator ECO**

for all SCHELL wash basin mixers PURIS, VENUS, CELIS, MODUS and PETIT.

Exception are all electronic wash basin fittings, low pressure mixed water (ND-M)

Use / Technical Data:

- connection thread M24X1

5 l/min regulated

chrome, PU 1

28 922 06 99

6 l/min regulated

chrome, PU 1, W: 0,02 kg/pc.

28 919 06 99

**Seal disc MODUS**

with rubber gasket


PU 1, W: 0,004 kg/pc.

77 662 00 99

**Fastening set for wash basin draw off taps**

PU 1, W: 0,08 kg/pc.

25 988 00 99



Product description	Article number	
---------------------	----------------	--

Operating handle MODUS EH
chrome, PU 1, W: 0,13 kg/pc.

25 983 06 99

Wall cover plate MODUS
mit screw connection piece
chrome, PU 1, W: 0,01 kg/pc.

02 144 06 99

Cartridge
with hot water limiter and adjustable volume control
PU 1, W: 0,06 kg/pc.

02 104 00 99

Flow regulator ECO
for all SCHELL wash basin mixers PURIS, VENUS, CELIS,
MODUS and PETIT.
Exception are all electronical wash basin fittings,
low pressure mixed water (ND-M)
Use / Technical Data:
• connection thread M24X1
5 l/min regulated
chrome, PU 1, W: 0,02 kg/pc.
6 l/min regulated
chrome, PU 1, W: 0,02 kg/pc.

28 922 06 99
28 919 06 99



Seal disc MODUS
with rubber gasket
PU 1, W: 0,004 kg/pc.

77 662 00 99


Fastening set for wash basin draw off taps
PU 1, W: 0,08 kg/pc.

25 988 00 99

Spare parts wash basin-
Kitchen fittings





Product description	Article number	
Flow regulator GRANDIS E without sleeve max. 4,5 l/min, PU 1 max. 10,0 l/min, PU 1	28 934 00 99 28 935 00 99	
Cover GRANDIS E incl. screws chrome, PU 1	29 751 06 99	
Cartridge valve GRANDIS E, 6 V PU 1	00 924 00 99	
Ceramic cartridge GRANDIS E PU 1	29 747 00 99	




Product description	Article number	
Operating handle GRANDIS E incl. cap and screw PU 1	29 752 06 99	
Electronic module GRANDIS E PU 1	29 730 00 99	
Fastening set GRANDIS E PU 1	29 754 00 99	
Flexible hose PU 1, 450 mm, G 3/8 union nut, M8x1	10 266 06 99	
Pre-filter mixed water MODUS E with backflow preventer and strainer PU 1, G 3/8 IG/AG, mesh size 250 µm	29 753 06 99	
Excerpt from product group 13 Battery compartment universal 6 V for electronic wash basin fittings incl. 4 Alkaline batteriesTyp AA PU 1, W: 0,20 kg/pc.	01 557 00 99	
Transformer with plug 100 - 240 V / 50 - 60 Hz / 9 V suitable for wash basin fittings GRANDIS E and XERIS E, PURIS E, VENUS E, CELIS E from 09/2016 and for SWS Wireless manager FM plug connect. for electronic three poles PU 1, W: 0,07 kg/pc.	01 316 00 99	

Spare parts wash basin-,
Kitchen fittings




Product description	Article number	
Excerpt from product group 29		
Cartridge valve 6 V with integrated pre-filter		
for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF / EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T		
Model with circular connection		
PU 1, W: 0,04 kg/pc.	01 442 00 99	
Cage filter-Set LINUS		
filter, mesh size: 500 µm		
PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS		
Comprises:		
backflow preventer		
• cage filter, mesh size: 500 µm		
• locking ring		
• plug		
chrome, PU 1, W: 0,02 kg/pc.	02 005 00 99	



Product description	Article number	
Universal electronic LINUS E		
<u>110 mm outreach</u> PU 1	21 705 00 99	
<u>170 mm outreach</u> PU 1	21 706 00 99	
<u>230 mm outreach</u> PU 1	21 707 00 99	
 Sensor window VITUS / LINUS incl adhesive tape		
PU 1, W: 0,014 kg/pc.	77 734 00 99	
 Front panel LINUS W-E-V with frame and fastening material		
chrome, PU 1	01 948 06 99	
stainless steel, PU 1	01 948 28 99	
 Front panel LINUS W-E-M with frame and fastening material		
chrome, PU 1	01 949 06 99	
stainless steel, PU 1	01 949 28 99	
 Wall-mounted faucets LINUS / VITUS for W-SCM, W-SC-V and W-EH-M		
end section 110 mm, 5 l/min, chrome, PU 1, W: 0,34 kg/pc.	24 746 06 99	
end section 170 mm, 5 l/min, chrome, PU 1, W: 0,53 kg/pc.	24 747 06 99	
end section 230 mm, 5 l/min, chrome, PU 1, W: 0,70 kg/pc.	24 748 06 99	

Spare parts wash basin-
Kitchen fittings



Product description

Article number

Self-closing cartridge LINUS SC II-M
model 2010
self-closing - mixed water
PU 1, W: 0,23 kg/pc.

29 652 00 99



Self-closing cartridge LINUS SC II-V
model 2010
self-closing - cold water / premixed water
PU 1, W: 0,23 kg/pc.

29 653 00 99




Product description	Article number	
Operating button LINUS SC-M self-closing - mixed water chrome, PU 1, W: 0,22 kg/pc.	29 545 06 99	
Operating button LINUS SC-V self-closing - cold water / premixed water chrome, PU 1, W: 0,22 kg/pc.	29 517 06 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS Comprises: •backflow preventer • cage filter, mesh size: 500 µm • locking ring • plug chrome, PU 1, W: 0,02 kg/pc.	02 005 00 99	
Front panel LINUS W-SC-M / W-SC-V with frame and fastening material chrome, PU 1, W: 0,96 kg/pc. stainless steel, PU 1, W: 0,96 kg/pc.	25 231 06 99 25 231 28 99	
Wall-mounted faucets LINUS / VITUS for W-SC-M, W-SC-V and W-EH-M end section 110 mm, 5 l/min, chrome, PU 1, W: 0,34 kg/pc. end section 170 mm, 5 l/min, chrome, PU 1, W: 0,53 kg/pc. end section 230 mm, 5 l/min, chrome, PU 1, W: 0,70 kg/pc.	24 746 06 99 24 747 06 99 24 748 06 99	

Spare parts wash basin-,
Kitchen fittings





Product description	Article number	
Wall cover plate-Set VITUS chrome, PU 1, W: 0,12 kg/pc.	27 830 06 99	
Cap VITUS chrome, PU 1, W: 0,09 kg/pc.	69 967 06 99	
Head part with bleed key for performance of thermal disinfection chrome, PU 1, W: 0,11 kg/pc.	22 168 00 99	
Bleed Key VITUS for performance of thermal disinfection PU 1, W: 0,01 kg/pc.	78 241 00 99	




Product description	Article number	
Cover valve VITUS chrome, PU 1, W: 0,27 kg/pc.	24 768 06 99	
Wall-mounted faucet LINUS / VITUS / WALIS* end section 110 mm, 5 l/min, chrome, PU 1, W: 0,34 kg/pc. end section 170 mm, 5 l/min, chrome, PU 1, W: 0,53 kg/pc. end section 230 mm, 5 l/min, chrome, PU 1, W: 0,70 kg/pc.	24 746 06 99* 24 747 06 99* 24 748 06 99*	
end section 110 mm, 7,5-9 l/min, chrome, PU 1, W: 0,34 kg/pc. end section 170 mm, 7,5-9 l/min, chrome, PU 1, W: 0,53 kg/pc. end section 230 mm, 7,5-9 l/min, chrome, PU 1, W: 0,70 kg/pc.	24 765 06 99 24 766 06 99 24 767 06 99	
Single-lever cartridge VITUS PU 1, W: 0,06 kg/pc.	29 634 00 99	
Operating handle VITUS EH PU 1, W: 0,14 kg/pc.	25 989 06 99	
Self-closing cartridge VITUS PU 1, W: 0,25 kg/pc.	29 685 00 99	
Operating button VITUS SC-M PU 1, W: 0,08 kg/pc.	29 680 06 99	
Mixed water cartridge VITUS PU 1, W: 0,08 kg/pc.	29 687 00 99	
Arm-lever mixed water VITUS chrome, PU 1, W: 0,34 kg/pc.	29 686 06 99	

Spare parts wash basin-,
Kitchen fittings





Product description	Article number	
Wall cover plate-Set VITUS chrome, PU 1, W: 0,12 kg/pc.	27 830 06 99	
Cap VITUS chrome, PU 1, W: 0,09 kg/pc.	69 967 06 99	
Head part with bleed key for performance of thermal disinfection chrome, PU 1, W: 0,11 kg/pc.	22 168 00 99	
Bleed Key VITUS for performance of thermal disinfection PU 1, W: 0,01 kg/pc.	78 241 00 99	
Cap VITUS for fitting with battery compartment chrome, PU 1, W: 0,23 kg/pc.	69 968 06 99	




Product description	Article number	
Battery compartment VITUS incl. batteries PU 1, W: 0,11 kg/pc.	01 925 00 99	
Thermostat cartridge VITUS PU 1, W: 0,26 kg/pc.	29 676 00 99	
Operating button Thermostat VITUS chrome, PU 1, W: 0,25 kg/pc.	23 103 06 99	
Open/Close-cartridge 90° VITUS PU 1, W: 0,08 kg/pc.	29 677 00 99	
Operating button Open/Close 90° VITUS chrome, PU 1, W: 0,09 kg/pc.	23 104 06 99	
Self-closing cartridge VITUS PU 1, W: 0,21 kg/pc.	29 684 00 99	
Operating button VITUS SC-T chrome, PU 1, W: 0,08 kg/pc.	29 678 06 99	
Cartridge valve 6 V with integrated pre-filter PU 1, W: 0,04 kg/pc.	01 442 00 99	
Electronic module VITUS VW E-T for exposed wash basin fitting VITUS VW-E-T chrome, PU 1, W: 0,15 kg/pc.	23 109 06 99	
CVD-Touch-Electronic VITUS for exposed wash basin fitting VITUS VW-C-T chrome, PU 1, W: 0,18 kg/pc.	01 589 06 99	
Arm-lever thermostat VITUS chrome, PU 1, W: 0,34 kg/pc.	29 688 06 99	

Spare parts wash basin-,
Kitchen fittings



Product description	Article number	
Solenoid valve DN5 for exposed wash basin fittings WALIS version with round plug PU 1	00 918 00 99	
Front panel WALIS E complete with holding frame Plastic, chrome, PU 1	25 995 06 99	




Product description	Article number	
---------------------	----------------	--

Electronic module WALIS E		
for projection 130 mm, article 01 950 06 99, PU 1	29 707 00 99	
for projection 190 mm, article 01 951 06 99, PU 1	29 708 00 99	
for projection 250 mm, article 01 952 06 99, PU 1	29 709 00 99	

Wall-mounted faucet LINUS / VITUS / WALIS		
for W-SCM, W-SC-V and W-EH-M		
end section 110 mm, 5 l/min, chrome, PU 1, W: 0,34 kg/pc.	24 746 06 99	
end section 170 mm, 5 l/min, chrome, PU 1, W: 0,53 kg/pc.	24 747 06 99	
end section 230 mm, 5 l/min, chrome, PU 1, W: 0,70 kg/pc.	24 748 06 99	

Spare parts wash basin-,
Kitchen fittings



Product description

Article number

Lever LINUS W-EH-M

for wall mounted faucet mixed water

chrome, PU 1, W: 0,17 kg/pc.

23 069 06 99**Mixed water cartridge LINUS**

for concealed wash basin fitting / shower fitting LINUS

PU 1, W: 0,06 kg/pc.

29 613 00 99**Push sleeve LINUS with wall cover plate**

for concealed wash basin fitting / shower fitting LINUS

chrome, PU 1, W: 0,14 kg/pc.

29 623 06 99**Cage filter-Set LINUS**

filter, mesh size: 500 µm

PU 1, W: 0,01 kg/pc.



02 004 00 99**Filter-set LINUS**

Comprises:



- backflow preventer
- cage filter, mesh size: 500 µm
- locking ring
- plug

PU 1, W: 0,02 kg/pc.


02 005 00 99**Wall-mounted faucets LINUS / VITUS**end section 110 mm, 5 l/min, chrome, PU 1, W: 0,34 kg/pc. **24 746 06 99**end section 170 mm, 5 l/min, chrome, PU 1, W: 0,53 kg/pc. **24 747 06 99**end section 230 mm, 5 l/min, chrome, PU 1, W: 0,70 kg/pc. **24 748 06 99**



Product description	Article number	
Operating handle PETIT SC self-closing - cold water / premixed water version until end 2016 chrome, PU 1, W: 0,04 kg/pc.	23 074 06 99	
Operating handle PETIT SC self-closing - cold water / premixed water with discharge ring, version from 2017 chrome, PU 1	25 897 06 99	
Self-closing cartridge PETIT SC <u>Cold water / premixed water</u> <u>for fittings until end 2016</u> PU 1, W: 0,20 kg/pc.	29 660 00 99	
NEW <u>Cold water / premixed water</u> <u>for fittings from 2017</u> PU 1, replaced cartridge 29 638 00 99, 29 651 00 99, 29 721 00 99	29 733 00 99	
Flow regulator UNIVERSAL theft sale for wash basin fitting LINUS/PETIT Comprises: Flow regulator with key Use / Technical Data: Flow rate: 5,0 l/min (independent of pressure) PU 1, W: 0,01 kg/pc.	02 007 00 99	



Product description	Article number	
Battery compartment MODUS E PU 1	29 746 00 99	
Elektronic module MODUS E PU 1	29 745 00 99	



Product description	Article number	
Solenoid valve, bistable 6 V, DN 5 PU 1	00 923 00 99	
Cap MODUS E incl. screws chrome, PU 1	29 750 06 99	
Flow regulator without sleeve, for reducing the flow rate with the same level of comfort. 1,32 l/min pressure independent, 0,35 GPM, PU 1 3,0 l/min pressure independent, 0,79 GPM, PU 1 5,0 l/min pressure independent, 1,32 GPM, PU 1	28 931 00 99 28 932 00 99 28 933 00 99	

Spare parts wash basin-,
Kitchen fittings

19 Spare parts shower fittings

Concealed showers


- LINUS D-E-T / D-E-T ECO	436 - 437
- LINUS D-E-V / D-E-V ECO	438 - 439
- LINUS D-C-T / BASIC D-C-T	440 - 441
- LINUS D-C-M / D-C-V / BASIC D-C-M	442 - 443
- LINUS D-SC-T / BASIC D-SC-T	444 - 445
- LINUS D-SC-M / D-SC-V BASIC D-SC-M	446 - 447
- LINUS D-EH-M	448 - 449

Exposed shower fittings

- Shower panels LINUS	
- DP-P-T / D-C-T / DP-SC-T	450 - 453
- DP-SC-M / DP-SC-V	454 - 455
- DP-EH-M	456
- Shower panels LINUS Inox	
- DP-C-T / DP-C-T-H / DP-C-T-D-H DP-SC-T	458 - 463
- VITUS	464 - 465

Accessories for shower fittings



- Flow regulator LEED	457
-----------------------	-----




Note:

The most important spare parts and mounting instructions of discontinued articles, can be found on Internet:

www.schell.eu → Service → Downloads → Archive spare parts /
Archive mounting instruction





Product description	Article number	
Excerpt from product group 29		
Cartridge valve 6 V with integrated pre-filter		
for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF / EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T		
Model with circular connection		
PU 1, W: 0,04 kg/pc.	01 442 00 99	
Operating button thermostat		
for LINUS D-SC-T / D-E-T / D-C-T / BASIC D-C-T / D-P-T / BASIC D-P-T		
chrome, PU 1, W: 0,24 kg/pc.	29 522 06 99	
Thermostat cartridge LINUS D-SC-T / D-E-T		
for LINUS D-SC-T / LINUS BASIC D-SC-T / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / shower panel DP-SC-T, DP-P-T, DP-C-T		
PU 1, W: 0,44 kg/pc.	29 524 00 99	



Product description	Article number	
Electronic module Standard ON/OFF/time setting PU 1, W: 0,18 kg/pc.	01 513 00 99	
Excerpt from product group 13 Solenoid valve thermal disinfection, 12 V PU 1, W: 0,12 kg/pc.	01 875 00 99	
Excerpt from product group 13 SCHELL locking disc thermostat button to block the hot water limiting button on SCHELL thermostat fittings PU 1, W: 0,004 kg/pc.	77 673 00 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS Comprises: • backflow preventer • cage filter, mesh size: 500 µm • locking ring • plug PU 1, W: 0,02 kg/pc.	02 005 00 99	
Front panel LINUS D-E-T with frame and fastening material Material: stainless steel chrome, PU 1 stainless steel, PU 1, W: 1,44 kg/pc.	25 234 06 99 25 234 28 99	

Spare parts
shower fittings





Product description	Article number	
Excerpt from product group 29		
Cartridge valve 6 V with integrated pre-filter		
for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF / EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T		
Model with circular connection		
PU 1, W: 0,04 kg/pc.	01 442 00 99	




Product description	Article number	
Electronic module Standard Ein/Aus/Zeiteinstellung PU 1, W: 0,18 kg/pc.	01 513 00 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS Comprises: • backflow preventer • cage filter, mesh size: 500 µm • locking ring • plug PU 1, W: 0,02 kg/pc.	02 005 00 99	
Front panel LINUS D-E-V with frame and fastening material Material: stainless steel chrome, PU 1, W: 1,01 kg/pc. stainless steel, PU 1, W: 1,01 kg/pc.	25 235 06 99 25 235 28 99	

Spare parts
shower fittings





Product description	Article number	
Solenoid valve adapter for concealed fitting PU 1, W: 0,09 kg/pc.	29 518 00 99	
Excerpt from product group 29 Cartridge valve 6 V with integrated pre-filter for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF / EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T Model with circular connection PU 1, W: 0,04 kg/pc.	01 442 00 99	
Piezo button 12 V for shower model until 2012 chrome, PU 1, W: 0,06 kg/pc.	69 956 06 99	
Piezo button 9 V for shower model until 2012 chrome, PU 1, W: 0,07 kg/pc.	01 303 06 99	



Product description	Article number	
CVD-Touch-Electronic for concealed shower LINUS D-C-T / LINUS BASIC D-C-T, Model from 2013 chrome, PU 1, W: 0,07 kg/pc.	01 593 06 99	
Excerpt from product group 13 Solenoid valve thermal disinfection, 12 V PU 1, W: 0,12 kg/pc.	01 875 00 99	
Thermostat cartridge LINUS D-SC-T / D-E-T for LINUS D-SC-T / LINUS BASIC D-SC-T / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / shower panell DP-SC-T, DP-P-T, DP-C-T PU 1, W: 0,44 kg/pc.	29 524 00 99	
Excerpt from product group 13 SCHELL locking disc thermostat button to block the hot water limiting button on SCHELL thermostat fittings PU 1, W: 0,004 kg/pc.	77 673 00 99	
Operating button thermostat for LINUS D-SC-T / D-E-T / D-C-T / BASIC D-C-T / D-P-T / BASIC D-P-T chrome, PU 1, W: 0,24 kg/pc.	29 522 06 99	
Backflow preventer DN 10 PU 1, W: 0,003 kg/pc.	29 519 00 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS Comprises: • backflow preventer • cage filter, mesh size: 500 µm • locking ring • plug PU 1, W: 0,02 kg/pc.	02 005 00 99	
Inspection plug with O-ring PU 1, W: 0,02 kg/pc.	29 521 00 99	

Spare parts
shower fittings



Product description

Article number

Excerpt from product group 29

Cartridge valve 6 V with integrated pre-filter

for SCHELLTRONIC / SCHELLMATIC / COMPACT HF /
 RETROFIT HF / EDITION E MANUAL /
 COMPACT EDITION E / COMPACT LC / RETROFIT LC /
 LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V /
 LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T /
 LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M /
 LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T /
 DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T
 Model with circular connection


PU 1, W: 0,04 kg/pc.

01 442 00 99

CVD-Touch electronic


for concealed shower LINUS D-C-M / LINUS BASIC D-C-M,
 chrome, PU 1, W: 0,19 kg/pc.

01 592 06 99



Product description	Article number	
Mixed cartridge LINUS D-C-M for concealed showers PU 1, W: 0,07 kg/pc.	29 659 00 99	
Operating button LINUS D-C-M for LINUS D-C-M / BASIC D-C-M chrome, PU 1, W: 0,22 kg/pc.	29 682 06 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS Comprises: • backflow preventer • cage filter, mesh size: 500 µm • locking ring • plug PU 1, W: 0,02 kg/pc.	02 005 00 99	

Spare parts
shower fittings




Product description	Article number
 Self-closing cartridge LINUS / LINUS BASIC self-closing - thermostat PU 1, replaced cartridge 29 641 00 99	29 735 00 99
Operating button self-closing LINUS D-SC-T / LINUS BASIC D-SC II-T complete chrome, PU 1, W: 0,24 kg/pc.	29 523 06 99
Thermostat cartridge LINUS D-SC-T / D-E-T / LINUS BASIC D-SC II-T PU 1, W: 0,44 kg/pc.	29 524 00 99



Product description	Article number	
Operating button thermostat for LINUS D-SC-T / D-E-T / D-C-T / BASIC D-C-T / D-P-T / BASIC D-P-T chrome, PU 1, W: 0,24 kg/pc.	29 522 06 99	
Excerpt from product group 13 SHELL locking disc thermostat button to block the hot water limiting button on SHELL thermostat fittings PU 1, W: 0,004 kg/pc.	77 673 00 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS Comprises: • backflow preventer • cage filter, mesh size: 500 µm • locking ring • plug PU 1, W: 0,02 kg/pc.	02 005 00 99	
Front panel LINUS D-SC-T with frame and fastening material Material: stainless steel chrome, PU 1, W: 1,43 kg/pc. stainless steel, PU 1	25 233 06 99 25 233 28 99	

Spare parts
shower fittings




Product description	Article number	
Self-closing cartridge LINUS SC II-M / LINUS BASIC SC II-M model 2010 self-closing - premixed water PU 1, W: 0,22 kg/pc.	29 639 00 99	
Self-closing cartridge LINUS SC II-V model 2010 self-closing - cold water / premixed water PU 1, W: 0,22 kg/pc.	29 640 00 99	



Product description	Article number	
Operating button LINUS SC-M / LINUS BASIC SC-M self-closing - premixed water chrome, PU 1, W: 0,22 kg/pc.	29 545 06 99	
Operating button LINUS SC-V self-closing - cold water / premixed water chrome, PU 1, W: 0,22 kg/pc.	29 517 06 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS Comprises: • backflow preventer • cage filter, mesh size: 500 µm • locking ring • plug PU 1, W: 0,02 kg/pc.	02 005 00 99	
Front panel LINUS D-SC-V with frame and fastening material chrome, PU 1 stainless steel, PU 1, W: 0,97 kg/pc.	25 232 06 99 25 232 28 99	

Spare parts
shower fittings



Product description


Article number

Lever LINUS D-EH-M
for concealed shower, single lever mixer
chrome, PU 1, W: 0,18 kg/pc.

23 068 06 99



Mixed water cartridge LINUS
for concealed wash basin fitting / shower fitting LINUS
PU 1, W: 0,06 kg/pc.

29 613 00 99




Product description	Article number	
Push sleeve LINUS with wall cover plate for concealed wash basin fitting / shower fitting LINUS chrome, PU 1, W: 0,14 kg/pc.	29 623 06 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Filter-Set LINUS Comprises: • backflow preventer • cage filter, mesh size: 500 µm • locking ring • plug PU 1, W: 0,02 kg/pc.	02 005 00 99	

Spare parts
shower fittings





Product description	Article number	
Solenoid valve adapter for concealed fitting PU 1, W: 0,09 kg/pc.	29 518 00 99	
Excerpt from product group 29 Cartridge valve 6 V with integrated pre-filter for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF / EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T Model with circular connection PU 1, W: 0,04 kg/pc.		
	01 442 00 99	
Piezo button 12 V for shower chrome, PU 1, W: 0,06 kg/pc.	69 956 06 99	
Piezo button 9 V for shower chrome, PU 1, W: 0,07 kg/pc.	01 303 06 99	
CVD-Touch electronic for shower panel LINUS DP-C-T chrome, PU 1, W: 0,15 kg/pc.	01 591 06 99	
Excerpt from product group 13 Solenoid valve thermal disinfection PU 1, W: 0,12 kg/pc.		
	01 875 00 99	




Product description	Article number	
Thermostat cartridge LINUS D-SC-T / D-E-T for LINUS D-SC-T / LINUS BASIC D-SC-T / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / shower panel DP-SC-T, DP-P-T, DP-C-T		
PU 1, W: 0,44 kg/pc.	29 524 00 99	
Excerpt from product group 13 SCHELL locking disc thermostat button to block the hot water limiting button on SCHELL thermostat fittings		
PU 1, W: 0,004 kg/pc.	77 673 00 99	
Operating button thermostat DP-P-T chrome, PU 1, W: 0,17 kg/pc.	23 082 06 99	
Backflow preventer DN 10 PU 1, W: 0,003 kg/pc.	29 519 00 99	
Cage filter-Set LINUS Filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Inspection plug with O-Ring PU 1, W: 0,02 kg/pc.	29 521 00 99	
Flow regulator, complete 9 l/min for shower head COMFORT / Exposed shower head COMFORT PU 1, W: 0,003 kg/pc.	63 011 00 99	
O-Ring set for shower head COMFORT / Exposed shower head COMFORT PU 1, W: 0,006 kg/pc.	66 190 00 99	
Spray plate, complete for shower head COMFORT / Exposed shower head COMFORT PU 1, W: 0,01 kg/pc.	77 678 00 99	
Spray insert low-aerosol for shower head low-aerosol PU 1, W: 0,01 kg/pc.	77 705 00 99	

Spare parts
shower fittings




Product description		Article number
NEW Selbstschluss-Kartusche LINUS / LINUS BASIC Selbstschluss - Thermostat PU 1, ersetzt Kartusche 29 641 00 99		29 735 00 99
Overthrust sleeve LINUS PU 1, W: 0,10 kg/pc.		60 544 06 99
Pressure spring PU 1, W: 0,01 kg/pc.		64 756 00 99
Operating button self-closing LINUS DP-SC-T chrome, PU 1, W: 0,09 kg/pc.		48 055 06 99



Product description	Article number	
Excerpt from product group 13 Solenoid valve thermal disinfection PU 1, W: 0,12 kg/pc.	01 875 00 99	
Thermostat cartridge LINUS D-SC-T / D-E-T for LINUS D-SC-T / LINUS BASIC D-SC-T / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / shower panel DP-SC-T, DP-P-T, DP-C-T PU 1, W: 0,44 kg/pc.	29 524 00 99	
Excerpt from product group 13 SCHELL locking disc thermostat button to block the hot water limiting button on SCHELL thermostat fittings PU 1, W: 0,004 kg/pc.	77 673 00 99	
Operating button thermostat DP-SC-T chrome, PU 1, W: 0,17 kg/pc.	23 082 06 99	
Backflow preventer DN 10 PU 1, W: 0,003 kg/pc.	29 519 00 99	
Cage filter set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Inspection plug with O-Ring PU 1, W: 0,02 kg/pc.	29 521 00 99	

Spare parts
shower fittings



Product description


Article number

Self-closing cartridge
LINUS SC II-M / LINUS BASIC SC II-M
model 2010
self-closing - mixed water
PU 1, W: 0,22 kg/pc.

29 639 00 99



Self-closing cartridge LINUS SC II-V
model 2010
self-closing - cold water / premixed water
PU 1, W: 0,22 kg/pc.

29 640 00 99




Product description	Article number	
Pressure spring PU 1, W: 0,003 kg/pc.	64 755 00 99	
Operating button LINUS DP-SC-M chrome, PU 1, W: 0,11 kg/pc.	48 069 06 99	
Operating button LINUS DP-SC-V chrome, PU 1	48 054 06 99	
Backflow preventer DN 10 PU 1, W: 0,003 kg/pc.	29 519 00 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Inspection plug with O-ring PU 1, W: 0,02 kg/pc.	29 521 00 99	

Spare parts
shower fittings






Product description	Article number	
Single lever cartridge VITUS Mixed water PU 1, W: 0,06 kg/pc.	29 634 00 99	
Operating handle EH-M Mixed water PU 1	25 993 06 99	
Backflow preventer DN 10 PU 1, W: 0,003 kg/pc.	29 519 00 99	
Cage filter-Set LINUS filter, mesh size: 500 µm PU 1, W: 0,01 kg/pc.	02 004 00 99	
Inspection plug with O-ring PU 1, W: 0,02 kg/pc.	29 521 00 99	



Product description	Article number	
SHELL flow regulator LEE For all shower heads COMFORT Jet regulator to reduce the flow rate with unchanged comfort. 3 LEED-Points by use in public oder private rooms. Comprises: Set consisting of: • 10 x flow regulator • 10 x retaining ring Use / Technical Data: flow rate: 6,0 l/min at 1 - 10 bar VE 1	63 014 00 99	

Spare parts
shower fittings







Product description	Article number	
Spray plate, complete for shower head COMFORT / Exposed shower head COMFORT PU 1, W: 0,01 kg/pc.	77 678 00 99	
Filter-Set LINUS Backflow preventer, locking ring and Filter (mesh size: 250 µm) PU 1	29 197 00 99	
Solenoid valve 12 V, monostable for shower panel DP-C-T 00 842 28 99, Model with circular connection PU 1	01 489 00 99	
Solenoid valve 6 V, with integrated pre-filter for shower panel DP-C-T 00 843 28 99, Model with circular connection PU 1, W: 0,04 kg/pc.	01 442 00 99	
Thermostat cartridge PU 1	29 697 00 99	
Operating button Thermostat chrome, PU 1	23 111 06 99	
CVD-Touch-Electronic Inox chrome, PU 1	00 922 06 99	


Spare parts
shower fittings

NEW

DP-C-T-H
00 846 28 99

NEW

DP-C-T-D-H
00 847 28 99



Product description

Article number

Spray plate, complete

for shower head COMFORT /
Exposed shower head COMFORT

PU 1, W: 0,01 kg/pc.

77 678 00 99

NEW

Filter-Set LINUS

Backflow preventer, locking ring and
Filter (mesh size: 250 µm)

PU 1

29 197 00 99

NEW

Changer Head- on hand shower

for shower panel LINUS Inox DP-C-T-D-H

PU 1

21 853 06 99

NEW

Slide bar

for shower panel LINUS Inox DP-C-T-H, length 678 mm
chrome, PU 1

29 213 06 99

NEW

Thermostat cartridge

PU 1

29 697 00 99

NEW

Operating button Thermostat

chrome, PU 1

23 111 06 99

NEW

CVD-Touch-Electronic Inox

chrome, PU 1



00 922 06 99


Solenoid valve 6 V, with integrated pre-filter

Model with circular connection

PU 1, W: 0,04 kg/pc.



01 442 00 99






Artikelbezeichnung	Artikel-Nummer	EURO Stück	RG
Spray plate, complete for shower head COMFORT / Exposed shower head COMFORT PU 1, W: 0,01 kg/pc.		77 678 00 99	
NEW Filter-Set LINUS Backflow preventer, locking ring and Filter (mesh size: 250 µm) PU 1		29 197 00 99	
NEW Solenoid valve 12 V, monostable for shower panel DP-C-T 00 842 28 99, Model with circular connectionr PU 1		01 489 00 99	
NEW Thermostat cartridge PU 1		29 697 00 99	
NEW Operating button Thermostat chrome, PU 1		23 111 06 99	
NEW Self-closing cartridge PU 1		29 715 00 99	
NEW Operating button self-closing chrome, PU 1		69 993 06 99	

Spare parts
shower fittings



Product description	Article number	
Wall cover plate-Set VITUS chrome, PU 1, W: 0,12 kg/pc.	27 830 06 99	
Cap VITUS chrome, PU 1, W: 0,09 kg/pc.	69 967 06 99	
Head part mit bleed key for performance of thermal disinfection chrome, PU 1	22 168 00 99	
Thermostat cartridge VITUS chrome, PU 1	29 676 00 99	
Cap VITUS chrome, PU 1	69 968 06 99	



Product description	Article number	
Battery compartment VITUS incl. batteries PU 1, W: 0,11 kg/pc.	01 925 00 99	
Operating button thermostat chrome, PU 1	23 103 06 99	
Open/Close cartridge 90° VITUS chrome, PU 1	29 677 00 99	
Operating button Open/Close 90° VITUS chrome, PU 1, W: 0,09 kg/pc.	23 104 06 99	
Self-closing cartridge VITUS SC-T PU 1, W: 0,25 kg/pc.	29 679 00 99	
Operating button VITUS SC-T chrome, PU 1, W: 0,08 kg/pc.	29 678 06 99	
Self-closing cartridge VITUS SC-M incl. hot water limitation PU 1, W: 0,25 kg/pc.	29 681 00 99	
Operating button VITUS SC-M chrome, PU 1	29 680 06 99	
Cartridge valve 6 V with integrated pre-filter PU 1, W: 0,04 kg/pc.	01 442 00 99	
CVD-Touch electronic VITUS for exposed shower fittings VITUS VD-C-T chrome, PU 1, W: 0,19 kg/pc.	01 590 06 99	
Single-lever cartridge VITUS PU 1, W: 0,06 kg/pc.	29 634 00 99	
Operating handle VITUS EH chrome, PU 1, W: 0,14 kg/pc.	25 989 06 99	

29 Spare parts WC and urinal flush valves

Concealed flush valves

- VERONA E / VERONA 468 - 469
- COMPACT II, low pressure 0,8 bar 470
- COMPACT II 471


WC controls EDITION E 472 - 473

WC modules

- with concealed cistern 474 - 477
- MONTUS with concealed cistern 478 - 482

Exposed flush valves



- SCHELLOMAT EDITION 483
- SCHELLOMAT EDITION ECO 484
- SCHELLOMAT BASIC 485
- SCHELLOMAT SILENT ECO 486
- SCHELLOMAT 487
- SCHELLOMAT VALUE 488
- Flush valve SCHELLOMAT 489




Note:

The most important spare parts and mounting instructions of discontinued articles, can be found on Internet:

www.schell.eu → Service → Downloads → Archive spare parts /
Archive mounting instruction



Product description	Article number	
Solenoid valve 12 V / 2 W PU 1, W: 0,24 kg/pc.	01 418 00 99	
Electronic module, single flush PU 1, W: 0,09 kg/pc.	01 224 00 99	
Transformer VERONA E 230 V / 50 Hz, incl. mains plug for ceiling-mounted WC flush valve VERONA E PU 1, W: 0,28 kg/pc.	01 468 00 99	




Spare parts
WC flush valves



Product description	Article number	
Cartridge for VERONA concealed WC flush valve (spare part) complete with flush volume adjustment Material: brass PU 1, W: 0,35 kg/pc. Version DZR, PU 1	29 407 00 99 29 455 00 99	
WC operating panel VERONA In standard version Comprises: cover plate with push button for 1 flush <u>standard model</u> Material: brass chrome, PU 1, W: 0,91 kg/pc.	03 204 06 99	

Model from 2011



Product description

Article number

WC cartridge EDITION low pressure

single flush

Cartridge with locking device
complete with automatic jet cleaning needle**Material:** plastic

PU 1, W: 0,18 kg/pc.

29 644 00 99

WC cartridge EDITION ECO low pressure


dual flush

Cartridge with locking device
complete with automatic jet cleaning needle**Material:** plastic


PU 1, W: 0,23 kg/pc.

29 643 00 99



Model from 2010




Spare parts
WC flush valves



Product description	Article number	
WC cartridge EDITION single flush Cartridge with locking device complete with automatic jet cleaning needle Material: plastic PU 1, W: 0,18 kg/pc.	29 626 00 99	
WC cartridge EDITION ECO dual flush Cartridge with locking device complete with automatic jet cleaning needle Material: plastic PU 1, W: 0,18 kg/pc.	29 625 00 99	
WC operating panel EDITION ECO 2 flush volumes chrome, PU 1, W: 0,37 kg/pc. white, PU 1, W: 0,37 kg/pc.	23 088 06 99 23 088 15 99	




Product description	Article number	
WC cartridge EDITION E Comprises: • automatic jet cleaning needle • bolt head • 2 hose arrangement angles Material: plastic PU 1, W: 0,16 kg/pc.	29 670 00 99	
Mechanical bypass valve EDITION E PU 1, W: 0,86 kg/pc.	25 661 06 99	
Cartridge valve 6 V with integrated pre-filter for fittings until 2014 Model with circular connection PU 1, W: 0,04 kg/pc.	01 442 00 99	
Solenoid valve DN5 for fittings from 2019 Model with circular connection PU 1	00 918 00 99	
Mounting frame with electronic module WC control EDITION E <u>Infrared, for fittings until 2016</u> PU 1, W: 0,18 kg/pc. <u>Ceiling-mounted, for fittings until 2016</u> PU 1, W: 0,18 kg/pc.	00 907 00 99 00 908 00 99	



Product description	Article number	
Electronic module WC EDITION E		
for fittings until 2019		
PU 1, W: 0,03 kg/St	26 004 00 99	
for fittings with solenoid valve DN5 from 2019		
PU 1	26 005 00 99	
Mounting frame EDITION E		
for fittings from 2016		
incl. fastening material		
PU 1, W: 0,15 kg/pc.	77 700 00 99	
Hydraulic hose set EDITION E MANUAL		
4 pieces with plug connection		
PU 1, W: 0,07 kg/pc.	25 037 00 99	
Hydraulic hose set EDITION E		
2 pieces with plug connection, for fittings until 2019		
PU 1, W: 0,05 kg/pc.	25 036 00 99	
Valve unit 2-fold EDITION E		
for fittings with solenoid valve from 2019		
PU 1, W: 0,12 kg/pc.	25 677 00 99	
Valve unit 4-fold EDITION E MANUAL		
for fittings with solenoid valve from 2019		
PU 1, W: 0,13 kg/pc.	25 678 00 99	
WC-front panel EDITION E MANUAL		
stainless steel, PU 1, W: 0,22 kg/pc.	25 880 28 99	
WC-front panel EDITION E		
stainless steel, PU 1, W: 0,20 kg/pc.	25 881 28 99	

Spare parts
WC flush valves

Until December 2015



Product description	Article number	
Rod-bearing PU 1, W: 0,09 kg/pc.	03 048 00 99	
Splash guard plate incl. trigger bolt PU 1, W: 0,09 kg/pc.	03 049 00 99	
Bolt locking device (set) PU 1, W: 0,03 kg/pc.	77 638 00 99	

Until December 2015



Trigger bolt (set)
PU 1, W: 0,02 kg/pc.

77 639 00 99



Lifting tackle with swivel
PU 1, W: 0,09 kg/pc.

77 640 00 99



Lifting clip
PU 1, W: 0,005 kg/pc.

77 641 00 99




Lip seal for flush elbow
PU 1, W: 0, 005 kg/pc.

77 642 00 99

Spare parts
WC flush valves

Until December 2015



Product description	Article number	
---------------------	----------------	--

Filling valve
for SCHELL concealed cistern
PU 1, W: 0,23 kg/pc.

03 276 00 99



Flexible connecting hose G 3/8
chrome, PU 1, W: 0,10 kg/pc.

10 249 06 99



Drain valve
incl. base valve
PU 1, W: 0,40 kg/pc.

03 273 00 99






Closing disc
for drain valve
PU 1, W: 0,01 kg/pc.

77 613 00 99




Lip seal
for drain valve
PU 1, W: 0,01 kg/pc.

77 614 00 99



Spare parts
WC flush valves

From January 2016



Product description	Article number	
---------------------	----------------	--

Filling valve MONTUS
for all concealed cisterns MONTUS
PU 1, W: 0,22 kg/pc.

03 080 00 99




Drain valve MONTUS
for concealed cistern
MONTUS C 80 03 062 00 99 , MONTUS C-N 80 03 059 00 99,
MONTUS C 80 n 03 064 00 99, MONTUS C 90 03 061 00 99
PU 1, W: 0,26 kg/pc.

03 081 00 99



Gasket MONTUS
for drain valve 03 081 00 99
PU 1, W: 0,04 kg/pc.

03 082 00 99



Drain valve MONTUS
for concealed cistern MONTUS C 120 03 056 00 99,
03 057 00 99, MONTUS C barrier free 03 066 00 99,
MONTUS C-N 120 03 058 00 99,
MONTUS C 120 n 03 073 00 99,
MONTUS 820 C 03 060 00 99,
PU 1, W: 0,33 kg/pc.

03 083 00 99




Gasket MONTUS
for drain valve 03 083 00 99
PU 1, W: 0,01 kg/pc.

03 084 00 99




Product description	Article number	
Cistern trigger bolts MONTUS, red for 8 cm and 12 cm cistern PU 1	03 128 00 99	
Cistern trigger bolts MONTUS, gray for 8 cm and 12 cm cistern PU 1	03 129 00 99	
Lip seal flush pipe MONTUS for 8 cm cistern PU 1	03 132 00 99	
Lip seal flush pipe MONTUS for 12 cm cistern PU 1	03 133 00 99	
Membrane filling valve MONTUS for 8 cm and 12 cm cistern PU 1	03 134 00 99	
Holder MONTUS for filling valve for 8 cm cistern PU 1	03 141 00 99	
Holder MONTUS for filling valve for 12 cm cistern PU 1	03 135 00 99	

Spare parts
WC flush valves



Product description	Article number	
Splash protection plate MONTUS for 12 cm cistern PU 1	03 137 00 99	
Mounting bracket arch of discharge MONTUS for 12 cm cistern PU 1	03 138 00 99	
Excerpt from product group 20 PE-wall-WC arch of discharge MONTUS, DN 90/90 with double lip seal PU 1, W: 0,34 kg/pc.	29 698 00 99	
Excerpt from product group 20 SCHELL PE-reducer DN 90/110 mm for PE-wall WC arch of discharge with double lip seal PU 1, W: 0,12 kg/pc.	29 699 00 99	
 Flush pipe bend holder MONTUS for 12 cm cistern PU 1	29 214 00 99	
 Connecting tube MONTUS 45/90 mm, for 12 cm cistern PU 1	29 215 00 99	
 Spare part set for frame MONTUS M 12 mm, for 12 cm cistern PU 1	29 216 00 99	



Product description		Article number	
	Protection box MONTUS for 8 cm cistern PU 1, rot	29 217 00 99	
	Basic frame for control plate MONTUS for 8 cm cistern PU 1	29 218 00 99	
	Anchor for outlet valve MONTUS for 8 cm cistern PU 1	29 219 00 99	
	Flexible hose MONTUS for 8 cm cistern PU 1	29 220 00 99	
	Lever bearing MONTUS for 8 cm cistern PU 1	29 221 00 99	
	Fastening set MONTUS for 8 cm cistern PU 1 Set (10 piece)	29 222 00 99	
	Fastening set MONTUS for 8 cm cistern PU 1 Set (10 piece)	29 223 00 99	
	Outlet valve holder MONTUS for 8 cm cistern PU 1	29 224 00 99	

Spare parts
WC flush valves



	Product description	Article number	
	O-ring set 37 mm MONTUS for 8 cm cistern PU 1 Set (5 piece)	29 225 00 99	
	Tube with O-ring MONTUS for 8 cm cistern PU 1, white	29 226 00 99	
	Anchor for outlet valve MONTUS for 12 cm cistern PU 1	29 227 00 99	
	Protection shaft raw installation MONTUS for 8 cm cistern and 12 cm PU 1	29 228 00 99	
	Fastening for control plate MONTUS for 12 cm cistern PU 1	29 229 00 99	
	Flexible hose MONTUS for 12 cm cistern PU 1	29 230 00 99	
	Fastening set without frame MONTUS for 12 cm cistern PU 1	29 231 00 99	
	Flush pipe complete with O-ring MONTUS for 12 cm cistern PU 1	29 232 00 99	
	Flowreducer MONTUS for 12 cm cistern PU 1	29 233 00 99	



Product description	Article number	
Push button for SCHELLOMAT EDITION with pressure spring chrome, PU 1, W: 0,12 kg/pc.	23 046 06 99	
Cartridge, complete for SCHELLOMAT EDITION PU 1, W: 0,17 kg/pc.	29 490 00 99	
Flush pipe union, complete chrome, PU 1, W: 0,15 kg/pc.	23 767 06 99	

Spare parts
WC flush valves



from 2009

Push button
for SCHELLOMAT EDITION ECO
with pressure spring

for flush valves with cartridge from 2009
chrome, PU 1, W: 0,16 kg/pc.

23 073 06 99



from 2009

Cartridge, complete
for SCHELLOMAT EDITION ECO

for flush valves with push button from 2009
PU 1, W: 0,17 kg/pc.

29 618 00 99



until 2008

Push button
for SCHELLOMAT EDITION ECO
with pressure spring

for flush valves with cartridge until 2008
chrome, PU 1, W: 0,22 kg/pc.

23 047 06 99



until 2008

Cartridge, complete
for SCHELLOMAT EDITION ECO


for flush valves with push button until 2008
PU 1, W: 0,17 kg/pc.

29 479 00 99



Flush pipe union, complete
chrome, PU 1, W: 0,15 kg/pc.

23 767 06 99



Product description	Article number	
Push button for SCHELLOMAT BASIC with pressure spring chrome, PU 1, W: 0,20 kg/pc.	23 043 06 99	
Cartridge, complete for SCHELLOMAT BASIC PU 1, W: 0,17 kg/pc.	29 490 00 99	
Wall cover plate chrome, PU 1, W: 0,02 kg/pc.	62 506 06 99	
Flush pipe union, complete chrome, PU 1, W: 0,15 kg/pc.	23 767 06 99	

Spare parts
WC flush valves




Product description		Article number
from 2009	Push button for SCHELLOMAT SILENT ECO with pressure spring for flush valves with cartridge from 2009 chrome, PU 1, W: 0,16 kg/pc.	23 073 06 99
from 2009	Cartridge, complete for SCHELLOMAT SILENT ECO for flush valves with push button from 2009 PU 1, W: 0,17 kg/pc.	29 618 00 99
until 2008	Push button for SCHELLOMAT SILENT ECO with pressure spring for flush valves with cartridge until 2008 chrome, VE 1, W: 0,22 kg/pc.	23 042 06 99
until 2008	Cartridge, complete for SCHELLOMAT SILENT ECO for flush valves with push button until 2008 PU 1, W: 0,17 kg/pc.	29 479 00 99
	Wall cover plate chrome, PU 1, W: 0,02 kg/pc.	62 506 06 99
	Flush pipe union, complete chrome, PU 1, W: 0,15 kg/pc.	23 767 06 99



Product description	Article number	
Sealing cap, complete chrome, PU 1, W: 0,06 kg/pc.	25 815 06 99	
Sealing cap, complete for flush valves until 2011 chrome, PU 1, W: 0,06 kg/pc.	62 100 06 99	
Piston, complete with automatic jet-cleaning needle Material: plastic PU 1, W: 0,02 kg/pc.	29 420 00 99	
Piston, complete Material: brass PU 1, W: 0,06 kg/pc.	29 300 00 99	
Lever complete with lever screw chrome, PU 1, W: 0,04 kg/pc.	29 421 06 99	
until 11/2011		
Lever complete with lever screw chrome, PU 1, W: 0,05 kg/pc.	29 664 06 99	
from 11/2011		
Lifting sleeve PU 1, W: 0,01 kg/pc.	77 400 00 99	
Flush pipe union, complete until 11/2011 chrome, PU 1, W: 0,07 kg/pc.	26 007 06 99	
Flush pipe union, complete from 10/2011 chrome, PU 1, W: 0,07 kg/pc.	29 669 06 99	
until 11/2011 from 10/2011		

Spare parts
WC flush valves



Product description

Article number

Push button
for SCHELLOMAT VALUE
with pressure spring
chrome, PU 1


23 777 06 99

Piston
for SCHELLOMAT VALUE
PU 1

29 696 00 99

Pipe sleeve
for SCHELLOMAT VALUE
PU 1

50 752 00 99



Product description	Article number	
Top fitting for exposed WC flush valve SCHELLOMAT Spare parts for article 02 702 06 99, see page 226 PU 1, W: 0,12 kg/pc.	22 148 00 99	
Snap-on bush with cover for exposed WC flush valve SCHELLOMAT Spare parts for article 02 702 06 99, see page 226 PU 1, W: 0,002 kg/pc.	23 301 00 99	
Lever handle for exposed WC flush valve SCHELLOMAT, incl. snap-on bush and support sleeve Spare parts for article 02 702 06 99, see page 226 Handle material: Metal chrome, PU 1, W: 0,15 kg/pc.	23 036 06 99	
Service-Set for exposed WC flush valve SCHELLOMAT 02 702 06 99 / 02 703 06 99, see page 226 Comprises: pipe sleeve pipe inset union nut sealing ring chrome, PU 1, W: 0,05 kg/pc.	26 072 06 99	

Spare parts
WC flush valves

29 Spare parts WC and urinal flush valves

Urinal controls

- | | |
|----------------------------|-----------|
| - EDITION E / AMBITION E | 492 - 494 |
| - COMPACT HF / RETROFIT HF | 495 |
| - COMPACT LC / RETROFIT LC | 496 - 497 |

Concealed flush valves

- | | |
|-----------|-----------|
| - COMPACT | 498 - 499 |
|-----------|-----------|

Exposed flush valves

- | | |
|------------------------------|-----------|
| - SCHELLTRONIC / SCHELLMATIC | 500 - 501 |
| - SCHELLOMAT EDITION | 502 |
| - SCHELLOMAT BASIC | 503 |





Spare parts
urinal flush valves

Note:


The most important spare parts and mounting instructions of discontinued articles, can be found on Internet:

www.schell.eu → Service → Downloads → Archive spare parts /
Archive mounting instruction

Model from 2016




Product description	Article number	
Cartridge valve 6 V with integrated pre-filter Model with circular connection PU 1, W: 0,04 kg/pc.	01 442 00 99	
Electronic module urinal EDITION E for fittings from 2016 PU 1, W: 0,03 kg/pc.	26 003 00 99	
Concealed transformer EDITION E Model with mains plug 230 V, 50 Hz PU 1, W: 0,17 kg/pc.	00 904 00 99	




Product description	Article number	
Universal battery compartment 6 V for electronic fittings Comprises: • Battery compartment with plug connect three poles • Wall bracket with fastening material • 100 mm velcro tape • 4 alkaline batteries type AA PU 1, W: 0,20 kg/pc.	01 557 00 99	
Mounting frame EDITION E for fittings from 2016 incl. fastening material PU 1, W: 0,15 kg/pc.	77 700 00 99	
Urinal front panel EDITION E chrome, PU 1, W: 0,28 kg/pc. alpinwhite, PU 1, W: 0,28 kg/pc. stainless steel, PU 1, W: 0,22 kg/pc.	23 077 06 99 23 077 15 99 23 079 28 99	



Spare parts
urinal flush valves



Model until 2016




Product description	Article number	
Cartridge valve 6 V with integrated pre-filter Model with circular connection PU 1, W: 0,04 kg/pc.	01 442 00 99	
Conversion kit EDITION E Mains operation, PU 1, W: 0,44 kg/pc. Battery operation, PU 1, W: 0,45 kg/pc.	01 019 00 99 01 020 00 99	
Urinal front panel EDITION E chrome, PU 1, W: 0,28 kg/pc. alpinwhite, PU 1, W: 0,28 kg/pc. stainless steel, PU 1, W: 0,22 kg/pc.	23 077 06 99 23 077 15 99 23 079 28 99	
Urinal cartridge EDITION mechanical model PU 1, W: 0,09 kg/pc.	29 628 00 99	



Product description	Article number
Excerpt from product group 29 Cartridge valve 6 V with integrated pre-filter for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF / EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T Model with circular connection PU 1, W: 0,04 kg/pc.	01 442 00 99

Spare parts
urinal flush valves



Product description

Article number

Cartridge valve 6 V with integrated pre-filter

for SCHELLTRONIC / SCHELLMATIC / COMPACT HF /
RETROFIT HF / EDITION E MANUAL /
COMPACT EDITION E / COMPACT LC / RETROFIT LC /
LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V /
LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T /
LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M /
LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T /
DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T

Model with circular connection

PU 1, W: 0,04 kg/pc.


01 442 00 99

Concealed transformer 100 - 240 V / 50 - 60 Hz / 6 V

for COMPACT LC urinal control

PU 1, W: 0,19 kg/pc.


01 530 00 99




Product description	Article number	
Battery compartment Urinal COMPACT LC PU 1, W: 0,17 kg/pc.	01 526 00 99	
Urinal siphon COMPACT LC with LC-Sensor PU 1, W: 0,27 kg/pc.	01 528 00 99	
Urinal sensor COMPACT LC PU 1, W: 0,03 kg/pc.	01 527 00 99	
Excerpt from product group 22 Reed contact COMPACT LC with solenoid key PU 1, W: 0,03 kg/pc.	01 529 00 99	
Urinal electronic moudle COMPACT LC PU 1, W: 0,09 kg/pc.	01 525 00 99	
Excerpt from product group 22 Sensor cable COMPACT LC cable length 2,5 m PU 1, W: 0,05 kg/pc.	01 524 00 99	
Excerpt from product group 22 Urinal front panel EDITION HF/LC for urinal roughing-in set COMPACT II, if accessibility to the water path and electronic is required stainless steel, PU 1, W:0,33 kg/pc.	23 080 28 99	

Spare parts
urinal flush valves

Model until 2010



Product description	Article number
Cartridge valve 6 V with integrated pre-filter for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF / EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T Model with circular connection PU 1, W: 0,04 kg/pc.	01 442 00 99
Cartridge for VERONA concealed urinal flush valve (spare part) complete with flush volume adjustment Material: brass PU 1, W: 0,17 kg/pc. Version DZR, PU 1	29 416 00 99 29 448 00 99



Product description	Article number	
Mains plug PU 1, W: 0,01 kg/pc.	01 319 00 99	
Universal front plate conversion INFRA/COMPACT stainless steel, PU 1, W: 0,75 kg/pc.	76 594 28 99	
Supporting housing for cartridge valve <u>L = 55 mm</u> Dimension: DN 20 G 3/4 external thread, PU 1, W: 0,02 kg/pc.	01 458 00 99	
<u>L = 68 mm</u> Dimension: DN 20 G 3/4 external thread, PU 1, W: 0,02 kg/pc.	01 504 00 99	

Spare parts
urinal flush valves

Until 2016



Product description

Article number

Flushing unit hood

with window, O-ring and mounting screw
(SCHELLTRONIC / SCHELLMATIC)

Model from 04/2003 until 08/2016

chrome, PU 1, W: 0,22 kg/pc.

01 456 06 99

Electronic spare part set

for conversion to SCHELL electronic

Comprises:

- Flushing unit hood 26 002 06 99
- Battery module incl. 4 x alkaline batteries AAA 01 597 00 99
- Holder for electronic incl. mounting screws 77 698 00 99
- Electronic module incl. fastening clips 26 003 00 99

PU 1

01 021 06 99

Cartridge valve 6 V with integrated pre-filter

for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF /
EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T /
LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T /
LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M /
shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T

Model with circular connection

PU 1, W: 0,04 kg/pc.

01 442 00 99

O-ring for flushing unit hood

(SCHELLTRONIC / SCHELLMATIC)

PU 1, W: 0,001 kg/pc.





66 083 00 99

Mounting screw for flushing unit hood


(SCHELLTRONIC / SCHELLMATIC)

PU 1, W: 0,003 kg/pc.

72 847 00 99

From 2016		Product description	Article number	
		Flushing unit hood with window, O-ring and mounting screw Model from 2015 chrome, PU 1	26 002 06 99	
		Battery module incl. 4 x alkaline batteries AAA Model from 2015 PU 1	01 597 00 99	
		Holder for the electronic with mounting screws Model from 2015 PU 1, W: 0,08 kg/pc.	77 698 00 99	
		Electronic module with mounting brackets Model from 2015 PU 1, W: 0,03 kg/pc.	26 003 00 99	
		Cartridge valve 6 V with integrated pre-filter for SCHELLTRONIC / SCHELLMATIC / COMPACT HF / RETROFIT HF / EDITION E MANUAL / COMPACT EDITION E / COMPACT LC / RETROFIT LC / LINUS D-E-T / LINUS D-E-T ECO / LINUS D-E-V / LINUS D-E-V ECO / LINUS D-P-T / LINUS BASIC D-P-T / LINUS D-C-T / LINUS BASIC D-C-T / LINUS D-C-M / LINUS BASIC D-C-M / shower panel DP-P-T, DP-C-T / DP-C-T-H, DP-C-T-D-H / VITUS VW-C-T / VITUS VD-C-T Model with circular connection PU 1, W: 0,04 kg/pc.	01 442 00 99	
		O-ring for flushing unit hood PU 1, W: 0,001 kg/pc.	66 083 00 99	
		Flush pipe 18 x 200 mm chrome, PU 1, W: 0,07 kg/pc.	23 768 06 99	
		Flush pipe 15 x 300 mm Model Benelux chrome, PU 1, W: 0,14 kg/pc.	23 769 06 99	
		Urinal internal connector for flush pipe Ø 15 mm and Ø 18 mm chrome, PU 1, W: 0,02 kg/pc.	29 317 06 99	

Spare parts
urinal flush valves



Product description	Article number	
Cartridge, complete PU 1, W: 0,08 kg/pc.	29 492 00 99	
Flush pipe union chrome, PU 1, W: 0,15 kg/pc.	75 621 06 99	
Flush pipe 18 x 200 mm chrome, PU 1, W: 0,07 kg/pc.	23 768 06 99	
Flush pipe 15 x 300 mm Model Benelux chrome, PU 1, W: 0,14 kg/pc.	23 769 06 99	
Urinal internal connector for flush pipe Ø 15 mm and Ø 18 mm chrome, PU 1, W: 0,02 kg/pc.	29 317 06 99	
Excerpt from product group 23 Urinal external connector for flush pipe Ø 15 mm and Ø 18 mm chrome, PU 1, W: 0,04 kg/pc.	27 820 06 99	



Product description	Article number	
Push button with pressure spring chrome, PU 1, W: 0,08 kg/pc.	23 050 06 99	
Cartridge, complete PU 1, W: 0,06 kg/pc.	29 493 00 99	
Wall cover plate chrome, PU 1, W: 0,02 kg/pc.	62 507 06 99	
Flush pipe union chrome, PU 1, W: 0,07 kg/pc.	75 622 06 99	
Flush pipe 18 x 200 mm chrome, PU 1, W: 0,07 kg/pc.	23 768 06 99	
Flush pipe 15 x 300 mm Model Benelux chrome, PU 1, W: 0,14 kg/pc	23 769 06 99	
Urinal internal connector for flush pipe Ø 15 mm and Ø 18 mm. chrome, PU 1, W: 0,02 kg/pc.	29 317 06 99	
Excerpt from product group 23 Urinal external connector for flush pipe Ø 15 mm and Ø 18 mm chrome, PU 1, W: 0,04 kg/pc.	27 820 06 99	


Spare parts
urinal flush valves

39 Spare parts appliance connection valves

Frost resistant outdoor taps



- POLAR II Set 506
- POLAR II 507
- POLAR Set / POLAR 508

Concealed valves 509





Note:

The most important spare parts and mounting instructions of discontinued articles, can be found on Internet:
www.schell.eu → Service → Downloads → Archive spare parts /
Archive mounting instruction




Product description	Article number
Sealing device for POLAR II and POLAR II Set PU 1, W: 0,07 kg/pc.	22 234 00 99
Head part POLAR II Set incl. spindle 488 mm length, with shortening facility PU 1, W: 0,20 kg/pc.	22 235 00 99
Sealing elements kit POLAR II incl. O-ring 13 x 1,5, 15 x 1,5, und 18 x 1,5 PU 1	25 896 00 99
COMFORT handle incl. snap-in socket chrome, PU 1, W: 0,02 kg/pc.	47 996 06 99
COMFORT handle SECUR lockable, with 2 keys, incl. snap-in socket chrome, VE 5, W: 0,10 kg/pc.	48 006 06 99
Covering bell POLAR II Set matt chrome, PU 1, W: 0,05 kg/pc.	69 946 03 99
Covering bell POLAR II Set for fittings from August 2012 matt chrome, PU 1, W: 0,04 kg/pc.	69 982 03 99
Screw rosette POLAR II Set Material: brass matt chrome, PU 1, W: 0,14 kg/pc.	69 945 03 99
Bleed key POLAR / POLAR II matt chrome, PU 1, W: 0,03 kg/pc.	78 230 03 99




Product description	Article number	
Sealing device for POLAR II and POLAR II Set PU 1, W: 0,07 kg/pc.	22 234 00 99	
Head part POLAR II incl. spindII 177,5 mm length PU 1, W: 0,20 kg/pc.	22 236 00 99	
Sealing elements kit POLAR II incl. O-ring 13 x 1,5, 15 x 1,5, und 18 x 1,5 PU 1	25 896 00 99	
COMFORT handle incl. snap-in socket chrome, PU 1, W: 0,02 kg/pc.	47 996 06 99	
COMFORT handle SECUR lockable, with 2 keys, incl. snap-in socket chrome, VE 5, W: 0,10 kg/pc.	48 006 06 99	
Covering bell POLAR II Set matt chrome, PU 1, W: 0,05 kg/pc.	69 946 03 99	
Covering bell POLAR II Set for fittings from August 2012 matt chrome, PU 1, W: 0,04 kg/pc.	69 982 03 99	
Bleed key POLAR / POLAR II matt chrome, PU 1, W: 0,03 kg/pc.	78 230 03 99	

Spare parts appliance
connection valves



Product description	Article number	
Head part and spindle complete for SCHELL POLAR, art.-no. 03 978 06 99 - 03 983 06 99 head part incl. socket wrench PU 1, W: 0,21 kg/pc.	22 145 00 99	
Head part and spindle complete for SCHELL POLAR Set, art.-no. 03 985 06 99 - 03 990 06 99 head part incl. socket wrench PU 1, W: 0,32 kg/pc.	22 146 00 99	
Anti-vacuum device version C for SCHELL POLAR / POLAR Set DVGW registered chrome, PU 1, W: 0,12 kg/pc.	28 629 06 99	
Anti-vacuum device fitting for SCHELL POLAR / POLAR Set chrome, PU 1, W: 0,01 kg/pc.	28 632 06 99	
Bleed key POLAR / POLAR II matt chrome, PU 1, W: 0,03 kg/pc.	78 230 03 99	
Covering bell for frost-resistant outdoor tap POLAR with head part for bleed key chrome, PU 1, W: 0,05 kg/pc.	61 822 06 99	
Screw rosette G 3/4 internal thread for POLAR-Set Material: brass chrome, PU 1, W: 0,18 kg/pc.	62 521 06 99	



Product description	Article number	
Head part DN 15 for concealed valve DN 15 PU 1, W: 0,10 kg/pc.	22 237 00 99	
Head part DN 20 for concealed valve DN 20 PU 1, W: 0,13 kg/pc.	22 238 00 99	
Head part DN 25 for concealed valve DN 25 PU 1, W: 0,19 kg/pc.	22 239 00 99	

Spare parts appliance
connection valves

General Sales, Delivery and Payment Conditions of SCHELL GmbH & Co. KG

I. Standard Conditions, Conclusion of Contract

1. For all quotations, deliveries, and payments the following conditions exclusively apply. Conflicting business and/or purchasing conditions have no validity, even if we do not expressly contradict them. With the placing of an order and/or the receipt of delivery the purchaser recognizes our conditions.
2. The order is obligatory for us with our written endorsement or with the beginning of execution of the order. All agreements met between us and the purchaser in regard to execution of the present contract, are put into writing in the present contract.
3. We can refuse the execution of given orders without declaration of reasons.

II. Quotation, Cost Estimate, Prices, Price Adjustment Provision

1. Our quotations as well as the prices and delivery availabilities indicated in our catalogs, printed matter, letters etc. are subject to confirmation; cost estimations are non-binding.
2. All orders will only be accepted based on the valid prices at the time of the order. Our prices are to be understood in EUROS, excluding customised special packaging, freight, tariff, plus the respective value added tax. With delivery of goods beyond EURO 500,00 the prices apply free of all charges from receiving station and/or German border.
3. With all orders - also with orders on call and successive delivery contracts - whose delivery according to contract or at the request of the purchaser takes place later than four months after the placement of the order, we are entitled to compute the applicable prices on the day of delivery.
4. For the smallest orders within the EU under a net invoice value of EURO 50,00, we compute a pro rated handling fee of EURO 5,00 for each small order. Orders for replacement parts are excluded from this rule. In non-EU states handling charges as well as the minimum order quantity conform to the shipping and administrative burdens for the respective country.

III. Shipment, Costs, Passing of Risk

1. Our deliveries take place principally from the Olpe facility at the purchaser's risk. With customer pick-ups the risk passes over to the customer when the goods leave the warehouse. We are not liable - also not with freight-paid delivery - for damages or losses during transport. If nothing else is agreed upon, we decide on the type of packaging and the shipping.
2. If delivery is delayed because of conditions that we do not have to assume responsibility for, the risk passes over to the purchaser from the day that the purchaser has communicated himself ready to take delivery.

IV. Change of Delivery Item

We reserve the right to construction and form changes as well as changes to the scope of the delivery as long as the goods are not significantly changed and the change is reasonable for the customer. The compliance of measurements, weights, and depictions is nonbinding for us.

V. Payment Conditions and Consequences for Non-compliance, Set-off

1. Within the EU our bills are payable postage and expense-free within 30 days of admittance of our bill or equivalent itemisation of an amount receivable, at the latest, however, 30 days after maturity and receipt of return service. Afterwards we calculate annual interest at a level of 8 %- points (with private consumers 5 %) above the respective basic interest rate. With payments within 14 days of the date of invoice the purchaser is entitled to deduct 2 % cash discount, with payments within 8 days of the date of invoice, 3 % cash discount, provided that all previous payments have been paid. In non-EU states the individual agreements met with the respective customer apply.
2. We accept changes and checks only against fulfillment of a debt, changes only according to a special agreement. The payment applies first after redemption of the changes or checks as performed. Discount and charges are borne by the purchaser. Independent of the duration of changes taken or granted extensions, our demands become immediately due if the purchaser does not abide by the payment conditions or circumstances become known that place his credit worthiness in doubt. In such a case we are further entitled to only carry out deliveries against payment in advance or by way of surety bond or to withdraw after appropriate respite from the contract and/or to require compensation.
3. Payments to our representative with a liberating effect may only take place if he is invested with an adequate power to collect and the power to collect is confirmed to the purchaser by us in writing.
4. In the face of our conditions the purchaser can only set off with indisputable or established, legally-valid counterclaims.

VI. Terms of Delivery and Liability Regulations, Obligation of Acceptance, Returns

1. The delivery time begins as soon as all details of performance, especially the technical questions, are clarified and both parties agree about all conditions of the affair. The delivery date is adhered to, if the article of sale had left our factory prior to its expiration, or readiness for shipment was communicated to the purchaser. Adherence to the delivery date presupposes the fulfillment of the contractual obligations of the purchaser, especially the agreed-upon payment conditions.
2. Delivery time information takes place according to our best knowledge, is approximately binding, and can diverge from the actual delivery.
3. If our delivery takes place neither by the due date nor within an additional period established from us to the purchaser for specified reasons, the purchaser is entitled to withdraw in respect to the appointed delivery.

4. For claims for damages because of belated fulfillment or nonfulfillment instead of performance the following applies: If in the attempt to deliver we are, in terms of which only our simple negligence meets, the claim of the purchaser to compensation of damages due to delay, proven by him, is limited to the amount 0,5 % for every full week of delay up to a total amount of 5 % of the value of the bill affected from the delay of the order. If the purchaser can demand compensation for damages instead of performance, we adhere to the purchase of a private consumer (§ 13 BGB) with an injury from the primary obligations of the contract - these obligations are those that, if violated, put the actual purpose of the contract at risk, and the fulfillment of complied with - including in the event of ordinary negligence for damage compensation, however any claims for compensation are limited to the foreseeable damage at the time of contract conclusion.
5. Higher power or circumstances for which we are not responsible (e.g. interruption of operations or strike) and the resulting hindrance of performance of the contract in regard to the deadline entitle us to reasonably postpone the fulfillment of assumed obligations or, if performance thereby becomes impossible for us, to withdraw entirely or in part from the contract. The same applies if materials were required by us from our suppliers for the completion of the order, and the materials ordered out from us, for reasons for which we are not responsible, were not received in time. A condition of the withdrawal is that we inform the purchaser immediately of the unavailability and refund eventual return services of the purchaser immediately. Claims of damages in any form are precluded.
6. Teillieferungen sowie Mehr- oder Minderlieferungen sind grundsätzlich zulässig, es sei denn, dass dies vom Kunden ausdrücklich als nicht zulässig im Auftrag schriftlich niedergeschrieben worden ist.
6. Partial deliveries as well as excess or short deliveries are principally allowable, unless this is expressly written down in the order by the customer as not allowable.
7. Partial deliveries as well as surplus or reduced deliveries are permissible in principle, unless this is expressly noted by the customer as not permissible in the order in text form (§ 126 b BGB).
8. Blanket and make-and-hold orders must be called within 8 months, whereby the delivery time may not exceed three months. With noncompliance of these terms by the purchaser the right pertains to us to either cancel the order and demand compensation because of noncompliance or to bring and calculate the back-ordered goods for shipment.
9. Returns of goods or the cancellation of orders require our written agreement. For all returns of goods - they take place principally at the risk of the sender - we deduct from the conferred credit memo min. 20 % of the net value of the goods for handling charges. Special designs and goods that are no longer contained in our delivery program will not be taken back.

VII. Notices of Defects, Claims of Defects, Liability Regulations

1. Without prejudice those with a mutual commercial transaction composing continuing examination obligations and obligations to give notice of defects (§ 377 HGB), the purchaser has to examine the delivered goods for visible defects and to notify us in writing of complaints because of such visible defects - that applies also for incomplete or incorrect deliveries - within 5 working days of receiving the goods and with such defects that first become visible at a later time, within 5 working days of recognition by the purchaser in text form (§ 126 b BGB); otherwise the goods are considered, in view of the visible defect, as approved and the purchaser can insofar exercise no further rights against us. That does not apply with a direct purchase by a private consumer.
2. With entitled notices of defects we are obligated to the cost-free amendment of the delivered goods and/or, according to our choice, to the replacement delivery. With purchases by a private consumer, unless direct or by subcontractor in the delivery chain, the consumer and/or the subcontractor is entitled to the right to choose. If the amendment or replacement delivery fails in spite of two attempts or we refuse this unwarrantedly or we delay this unreasonably, the purchaser is entitled to reduction of the payment, or if there is not a construction capacity article of the warranty for defects, according to his choice, to demand cancellation of the contract.
3. For claims of damages subject to the regulation in VII the following applies: With purchase by a private consumer, unless direct or by subcontractor in the delivery chain, we are liable for an injury from the primary obligations of the contract, also with simple negligence, to compensation for damages instead of performance, however eventual claims to the compensation are limited to foreseeable damages at the time of the conclusion of contract, as long as the defect is not secretly fraudulent or a guarantee for the properties and conditions of the thing have been assumed. Subject to the provision in Clause VIII the following applies to claims for damages: In the event of breaches of essential contractual duties even due to ordinary negligence we assume liability for damages instead of performance, however, the possible claims for compensation are limited to the damages that are foreseeable at the time of the conclusion of the Agreement, unless we have maliciously concealed the defect or we have issued a guarantee regarding the quality of the object.
4. Defective claims do not exist if the error is to be returned due to an injury from operation, maintenance and installation specifications, improper or inappropriate use, erroneous or careless handling by the purchaser, or natural wear, as well as interventions carried out by the purchaser or third parties to the article of sale. The same applies if SCHELL products are incorrectly assembled, are carelessly handled or handled beyond the scope of usual, or disfunctions lead back to inappropriate equipment, replacement of parts, chemical, electrochemical, or electrical effects. Claims of defects also do not exist if our installation instructions and other technical documentation, which were made accessible to the customer at the time of delivery, were not always precisely followed in whichever way the instructions and recommendations contained within had specified,

- Only in urgent cases of danger of operational safety, of which we are to be immediately informed, or if we are advised in delay of the removal of the defects, the purchaser has the right to personally remove or to allow a third party to do so and to request from us appropriate compensation for the costs borne by him.

VIII. Other Liability (Limits and Exceptions)

- Aside from the preceding regulated delay and defect claims we meet the obligation, unless a damage is based on an ordinary or grossly negligent breach of duty on our part or on an intentional or grossly negligent breach of duty by our legal representative all fulfilment subsidiaries, or it concerns damages from an injury to the life, the body, the health, that is based on a negligent breach of duty on our side or on the part of our legal representative or fulfilment subsidiary, or it concerns damages that usually and typically are excluded by a liability insurance of us for appropriate insurable conditions. That applies especially for claims of damages from debts before or with contract conclusion, injury from collateral duty and claims from illegal acts.
- Claims according to the product liability law and from it remain unaffected by a guarantee.

IX. Proprietary Rights

Deliveries take place according to the design or special designations of the purchaser, who carries responsibility for the successes and that the proprietary rights of third parties are not injured.

X. Retention of Title

- We reserve the right of possession of the article of sale (reserved goods), until all of our demands on the purchaser from the business agreement have been settled, excluding the conditions arising in the future, also from simultaneously or later concluded contracts. With running invoices the reserved possession and all rights as collateral for our entire balance condition apply together with interest and costs. With garnishments or other third party interventions the purchaser has to notify us immediately.
- The purchaser is entitled to process and resell the article of sale in the orderly business routine. This power ends if the purchaser comes into delay of payment, further, with the surrender of payment by the purchaser, or if the opening of composition or insolvency procedure of his assets is requested. He is obligated to resell the conditional item only under retention of title and thereby to ensure that the demands from the resale in accordance with 5 and 6 pass over to us. As far as resale applies, the use of the reserved goods for fulfillment of factory and factory consignment contracts also applies. He is not entitled to other provisions regarding the reserved goods, especially for pledging or security. A transfer of the demands from the passing on of our reserved goods is illegal, unless it deals with a transfer in the way of legitimate factoring of which we are notified and with which the value of the receipts of the factoring exceeds our secured demands. With the credit note of the factoring receipts our demand becomes immediately due.
- Through processing and handling of the reserved goods the purchaser does not acquire the title to the new item in accordance with § 950 BGB. The handling or reshuffle is made for us, without obligating us. The processed and handled goods count as reserved goods.
- With handling, consolidation and amalgamation of the reserved goods with other goods we reserve the co-ownership of the new item to the ratio of the invoice value of the reserved goods to the invoice value of the other goods used. If our ownership expires through consolidation, amalgamation, or handling, the purchaser immediately confers to us the entitlement of ownership and expectancy rights of the new asset or of the item in the amount of the invoice value of the reserved goods. In cases of the conversion of the amount of the invoice value of the reserved goods to the invoice value of other used goods, they are held in safekeeping for us. Our rights of co-ownership apply to the reserved goods.
- The demands of the purchaser from the resale of the reserved goods are to be immediately surrendered to us. They serve in the same amount of security as the reserved goods.
- If the reserved goods together with other goods are resold by the purchaser, the demand from the resale in the amount of the invoice value of the reserved goods to the other goods is surrendered to us. With the resale of goods, to which we have co-ownership rights in accordance with 4, our co-ownership interest in the proportionate part of the demand is due to us.
- At our request the purchaser is obligated to give us an exact statement of his demands with name and address of the purchaser, to give the assignment of his known purchaser, and to confer to us all necessary information for assertion of the ceded demands. The purchaser reauthorises us, as long as he is in delay of payment or his pecuniary circumstances worsen, to contact the purchaser from the transfer and to collect the demands ourselves. We can require an examination of the condition of the ceded demands by our representatives by means of the purchaser's accounting. The purchaser has to pass a statement over to us regarding the reserved goods still in existence.
- If this the value of the existing collateral exceeds the secured demands altogether by more than 15 %, we are obligated to the requests of the purchaser as far as the release of collateral according to our choice. As value of the collateral applies with simple and downstream-processed retention of ownership, to which the purchaser refers the goods with us, and with the prolonged retention of ownership of the invoice value, to which the purchaser resells our goods.
- With changes, checks etc., the payment applies first according to secured redemption by the purchaser as contributed. We only take checks in payment of

a debt. Payments that take place against relinquishment of a change issued by us first count as performed when the check and/or change recourse is precluded to us. Irrespective of our further security rights the acknowledged collateral remains with us until this time is reached.

- Because of the retention of ownership we can reclaim the article of sale if we are withdrawn from the contract. For withdrawal we are entitled without regard to the further requirements of § 323 BGB from the time in which the purchaser finds himself with the payment to us entirely or partially in debtor's delay, it requires no further setting of deadlines in particular for the exercise of a withdrawal on our part. The same applies with the surrender of payment of the purchaser or if beyond his assets the opening of a composition or insolvency procedure is requested. All arising costs resulting from repossession of the delivery item are borne by the purchaser. We are entitled to freely utilise the revoked delivery item.

XI. Place of Fulfillment, Legal Domicile, Applicable Right

- The place of fulfillment is the place of our delivery facility.
- For contracts with buyers, legal entities of public law, or public legal fund assets all disputes are to be decided in the courts relevant for our company headquarters. We are also entitled to dispute before the courts situated with our respective contracting parties.
- For all deliveries and performances, German law applies with the exception of the UN-Convention on Contracts for the Sale of International Goods. The contract language is German. If the contracting parties should avail themselves to another language, the German wording has precedence.

XII. Export Agreement

It is considered agreed-upon that the related goods from SCHELL remain exclusively in the European Union. An export from the territory of the European Union requires the expressed agreement from SCHELL. In each case of resale by the purchaser, he is responsible for the adherence in the territory of the European Union, or in respective export countries, to the applicable safety measures for water and/or gas equipment.

XIII. Traceability

If the Purchaser forwards the goods supplied by SCHELL to third-parties it shall be obliged to maintain corresponding records in order that, for the duration of the applicable retention periods for business documentation as stipulated by commercial law provisions (HGB) and by tax law (AO), the Purchaser can immediately provide information on the location of the goods. The Purchaser shall impose the corresponding obligations if its own customers forward the goods onwards and if the goods forwarded by the Purchaser do not remain with it (end customer) as intended.

If, for example, in the event of a recall campaign triggered by SCHELL, the Purchaser is culpably unable to provide information on the further whereabouts of the supplied goods, the Purchaser shall be under the obligation to compensate SCHELL or to indemnify SCHELL in relation to such damage to third parties for any damages caused thereby and or consequential damages to persons or property for which SCHELL is liable in relation to third parties.

XIV. Export control clause

1. Fulfilment of the contract relating to those delivery parts which are recorded by state export regulations, shall be subject to there being no obstructions due to German, US-American or other applicable national, EU or international regulations of foreign trade law, nor any embargos or other sanctions that oppose it. The Purchaser shall commit to SCHELL, in the event of the resale, export or shipment abroad of the goods supplied by SCHELL, that all relevant and applicable local and international regulations – specifically also for money laundering prevention – shall be observed and that any requisite approvals shall be obtained. The Purchaser shall acknowledge that it is its sole responsibility to comply with these laws and regulations. The Purchaser must prove this to SCHELL in the event of the existence of a legitimate interest and in justified suspected cases regarding an infringement of the above obligations through a corresponding provision of information and in particular the provision of information regarding the data of the Purchaser's customer to whom the goods supplied by SCHELL have been resold, at the requisite scope to ensure the traceability of compliance with the preceding obligations of the Purchaser.
- The Purchaser shall commit to produce all the information and documentation that is required for the export or shipment. The Purchaser shall immediately on request transfer to SCHELL all information about final recipients end-use and intended purpose of the goods to be delivered by SCHELL as well as any related export control restrictions. Delays due to export checks or approval procedures shall override deadlines or delivery times.
- SCHELL shall be entitled to cancel the contract, in full or in part, without notice if the cancellation on the part of SCHELL is required due to compliance with national or international legal regulations.
- In the event of a cancellation pursuant to Clause 3, the assertion of compensation claims or other claims by the Purchaser due to the cancellation shall be excluded unless these claims are based on intent or gross negligence on the part of SCHELL.
1. In the event of an infringement of legal export-control obligations by the Purchaser, it shall immediately exempt SCHELL in full from all claims which au

thorities and/or other third parties assert against SCHELL and it shall reimburse all damages which authorities and/or third parties assert against SCHELL. This shall not apply if the Purchaser is not responsible for the infringements. This does not constitute a reversal of the burden of proof.

6. Should approvals not be granted or if other delivery restrictions exist, then the corresponding offer from SCHELL shall become invalid and a contract relating to this matter or these goods shall not be concluded. Any compensation claim associated with the rejection or delay of approval issuances or other export restrictions shall be excluded, unless this is based on intent or gross negligence on the part of SCHELL.

XV. Safeguarding Clause

If regulations of these conditions and/or the further agreements should be or become ineffective, then the validity of the contract remains unaffected in all other respects. The contracting parties are obligated to replace the ineffective condition by a regulation of equal economic achievement, if possible.

Status: October 2021

Depictions, measurements, and weights as well as descriptions are non-binding and are subject to technical improvement and change.
Reprinting and photo-mechanical reproduction, also in extracts, require our expressed permission.
The SCHELL Sales and Delivery Conditions are valid.

Manufacturer Warranty

As at: January 2015
Valid from 1 January 2015



The SCHELL Manufacturer Warranty

SCHELL provides this manufacturer warranty to consumers for SCHELL products, in addition to the statutory warranty to which consumers are entitled from their vendor. It shall apply without prejudice to mandatory statutory liability provisions, such as under the German Product Liability Act, in cases of intent and gross negligence, due to injury to life, body or health by SCHELL or its vicarious agents.

For the purposes of this manufacturer warranty, “consumer” means any natural person who is the owner of the product on the basis of a contract of sale or a contract for work and services and who has not acquired the product with a view to reselling it to or installing it with third parties in the course of his or her commercial or independent professional activity. “First customer” means the consumer who first acquired the product from SCHELL, a dealer or any other natural or legal person who resells or installs the product in the course of their commercial or independent professional activity.

Warranty Services

SCHELL warrants to consumers in accordance with the following provisions that products marketed by SCHELL under the SCHELL brand name after 1 January 2015 shall be free from defects in material, workmanship or design for a period of five years from the date of acquisition of ownership by the consumer as the first customer, but for a maximum period of seven years from the date of manufacture of such products. The assessment of whether a product is defective is based on the generally acknowledged standards of technology at the time the product was manufactured.

SCHELL shall decide whether the product shall be repaired or replaced, or to refund the consumer the purchase price.

The repair or replacement with a new product shall be carried out at SCHELL's discretion by a qualified specialist. The service under this warranty consists of the free delivery or repair of a new product of the same kind, quality and/or type. If the defective product is no longer manufactured at the time of the warranty claim, SCHELL shall be entitled to deliver an equivalent product. After replacement, the defective products shall become the property of SCHELL. The costs for any posting and return delivery of the product shall be borne by SCHELL.

Other claims of the consumer against SCHELL, in particular claims for damages that may have been caused by the defective SCHELL product, are not covered by this manufacturer warranty.

Warranty Period

The SCHELL manufacturer warranty is valid for a period of five years from the date of the consumer's acquisition of ownership of the product as the first customer.

The consumer must verify that the warranty period has not yet expired.

The warranty period shall not be extended by repair measures authorised by SCHELL or by the replacement of the product or individual parts, nor shall it begin anew. This shall also apply if these warranty conditions are enclosed with the new product.

Warranty Conditions

The prerequisite for the warranty claim is the presentation of the original invoice with date – for a purchase contract – of the transfer and/or – for a contract for works and services – of the installation of the product, which must clearly show the name and address of the vendor and the place of purchase or work (installation). Claims under this warranty shall continue to apply only if the product has been properly installed, fitted and operated. The installation and operating manual issued by SCHELL must be observed. A further prerequisite is that the installation is carried out in accordance with the relevant applicable statutory provisions (Section 12(4) of the German Ordinance on General Conditions for the Supply of Water (AVB-WasserV) and Section 17(1) of the German Drinking Water Ordinance (TrinkwV). Furthermore, when the product is installed, the general installation conditions, the technical product information and the technical data sheets provided by SCHELL are to be observed as well as the generally acknowledged standards of technology.

In order to make use of the SCHELL manufacturer warranty, the product must also be properly cleaned and maintained according to the SCHELL care instructions and operated in accordance with the operating manual.

The technical product information, technical data sheets, as well as the SCHELL care instructions are included in the sales packaging or are available for download on the SCHELL website at www.schell.eu.

The end customer may only make use of warranty services if a fault is reported before claiming warranty services, provided that such reporting is not unreasonable in individual cases. The first contact person for the report within the framework of the the SCHELL manufacturer warranty is usually the specialist from whom the end customer procured the product, otherwise, one

of the customer service points authorised by SCHELL, or SCHELL itself.

The report must be made within a reasonable period after discovering the fault, but in any case before the warranty period expires.

Exclusion of Warranty

Any claim under the warranty shall be excluded in particular

- if the installation, care, maintenance or repair of the product has not been professionally carried out;
- if normal wear and tear of the products can be ascertained;
- if the fault is due to operating errors or incorrect handling of the product;
- if the fault occurs due to no or incorrect maintenance;
- If spare parts other than original parts from SCHELL have been used for a repair or maintenance of the product;
- if the fault has been caused by the transportation, installation or test operation of the product;
- if damage is caused by force majeure or natural catastrophes, in particular flooding or fires;
- if the surface has been scratched;
- if the product is an exhibition or display product;
- if consumable material (such as filter, aerator or batteries) or expendable material (such as seals or hoses) is affected;
- if the fault has been caused by fragile parts breaking (for example, glass or bulbs);
- if the fault occurs due to aggressive environmental influences (such as chemicals or cleaning agents), lime deposits, dirt ingress or malfunctions due to ice and/or lime;
- if the fault is caused by ambient situations (for example, overpressure or vacuum on the line, overvoltage or undervoltage in the line);
- if there are minor deviations which have no influence on the utility value of the product;
- if the fault is due to intentional or negligent damage to the product by the consumer or a third party, or
- if the installation site is in countries where the SCHELL Group does not have its own sales company or sales partner.

SCHELL will check each individual case to see whether the conditions of the warranty and any reasons for exclusion apply. If warranty claims are asserted and it is established during the inspection of the product by SCHELL that there was no fault or that the warranty claim does not apply for one of the above reasons, SCHELL shall be entitled to charge a service fee of [EUR 10 plus VAT]. If the customer proves that under the circumstances he or she was unable to establish that the warranty claim did not exist, the service fee shall not apply.

Statutory Rights


The statutory rights to which the consumer is entitled in the event of a defective and/or faulty SCHELL product in addition to the rights under this warranty (e.g. rights under warranty in accordance with Section 437 of the German Civil Code (BGB) – subsequent performance, reduction, withdrawal and/or compensation, claims under the Product Liability Act and/or tort as set out by Sections 823 ff BGB, etc.) are not limited by this warranty. This warranty also does not affect any rights and claims the consumer may have against the vendor and/or contractor from whom the first customer purchased the product.

Final Provisions

This warranty is valid to the extent and under the prerequisites stated above.

This warranty is subject to the law of the Federal Republic of Germany to the exclusion of the UN Convention on Contracts for the International Sale of Goods (CISG) of 11/04/1980.

SCHELL GmbH & Co. KG
Raiffeisenstraße 31
57462 Olpe, Germany
Germany
Phone +49 (0)2761 892-0
Fax +49 (0)2761 892 199
info@schell.eu
www.schell.eu



SCHELL GmbH & Co. KG
Raiffeisenstraße 31
57462 Olpe
Germany
Telefon +49 2761 892-0
Telefax +49 2761 892-199
info@schell.eu
www.schell.eu

