



XERIS washbasin tap series
By SCHELL.

XERIS SC
New!
XERIS E and
XERIS E-T
with thermostat

Valve technology from the expert: Advantages because of intelligent technology.

Well thought out details and sophisticated control technology ensure convenient usage and the maintenance of water quality. In combination with three different sizes, this creates maximum flexibility.

For the highest hygiene standards: XERIS E sensor control

- Contact-free actuation
- Electronic adjustment of the flow time
- Parametrisable stagnation flushes
- Thermal disinfection possible with XERIS E-T

Innovative water flow: XERIS E plastic water path

- The entire water flow takes place inside of high-quality plastic components
- Low surface temperature
- Little stagnating water in the tap
- Materials certified for drinking water

For tough everyday use: XERIS SC self-closing cartridge

- Very low actuating pressures
- Simple mixed-water regulation
- Simple adjustment of the flow time and temperature limitation



We offer XERIS in three different sizes:




Fig. XERIS SC




Fig. XERIS E-T




Fig. XERIS E

Small

XERIS SC and XERIS E, both for cold and mixed water

Mid

XERIS SC and XERIS E, both for cold and mixed water, XERIS E-T

Large

XERIS E, both for cold and mixed water

XERIS SC, XERIS E and XERIS E-T: Comfort and aesthetics for public places.

Nowadays, aesthetics and comfort are also in demand in public sanitary rooms. The challenge is to combine durable operation, impeccable hygiene and high-quality design.

The tap series is optically convincing due to its elegant and clear shape. The robust polished-metal design of the body of the fitting, the first-class finish and high-quality technology meet the requirements for public areas. This makes XERIS the perfect solution when it comes to creating a high-quality sanitary room with appealing design and the best functionality.

Overview of all model versions and item numbers:

			small	mid	large
XERIS SC	HD-K		02 158 06 99	02 159 06 99	-
	HD-M		02 156 06 99	02 157 06 99	-
XERIS E	HD-K	Battery operated	01 293 06 99	01 294 06 99	01 295 06 99
	HD-K	Plug-in mains adapter	01 204 06 99	01 208 06 99	01 209 06 99
	HD-K	Concealed mains adapter	00 224 06 99	00 225 06 99	00 226 06 99
	HD-K	without power supply*	00 218 06 99	00 219 06 99	00 220 06 99
	HD-M	Battery operated	01 296 06 99	01 297 06 99	01 298 06 99
	HD-M	Plug-in mains adapter	01 210 06 99	01 254 06 99	01 281 06 99
	HD-M	Concealed mains adapter	00 227 06 99	00 228 06 99	00 229 06 99
	HD-M	without power supply*	00 221 06 99	00 222 06 99	00 223 06 99
XERIS E-T	T**	Battery operated	-	00 232 06 99	-
	T**	Plug-in mains adapter	-	00 233 06 99	-
	T**	Concealed mains adapter	-	00 234 06 99	-
	T**	without power supply*	-	00 235 06 99	-

* For direct connection to an eSCHELL management system or for the connection of multiple taps to one mains adapter (optional)

** Thermostat



XERIS E:

Contact-free and appealing comfort.

XERIS E and XERIS E-T are electronic taps which meet the highest demands in terms of comfort and hygiene in use. Both fittings are pre-adjusted ex works. The parametrisation is also possible individually via the eSCHELL water management system.

We offer XERIS E in three different sizes and two versions:



XERIS E small (not shown)

HD-K: High-pressure cold water

HD-M: High-pressure mixed water, with temperature regulator

XERIS E mid.

HD-K: High-pressure cold water

HD-M: High-pressure mixed water, with temperature regulator

XERIS E large (not shown)

HD-K: High-pressure cold water

HD-M: High-pressure mixed water, with temperature regulator



Connect SCHELL taps intelligently

XERIS E and XERIS E-T are suitable for eSCHELL. This means that they can be used "as they are delivered" and can also be operated via eSCHELL.



Parametrisable flushes

It can be individually determined how and when the stagnation flush shall be carried out: e.g. 24 h after the last use.



Safe actuation

XERIS E can be actuated without any problems, thanks to the contact-free sensor control – regardless of age and physical condition.

For more information, refer to www.schell.eu/eSCHELL

XERIS E-T:

Hygiene in its best form. With scalding protection.

XERIS E-T with thermostat offers additional safety thanks to scalding protection and the option for thermal disinfection. Moreover, the temperature can be precisely adjusted using the thermostat and it remains constant. Even in case of cold water failure the scalding protection works. The tap is pre-adjusted. Hot water is shut off within one second.



XERIS E-T
Electronic wash basin tap
with thermostat

Xeris SC:

Makes a continuously good impression.

XERIS SC with innovative SCHELL self-closing cartridge allows easy temperature and flow time limitation. This ensures safe operation and helps effectively saving water. In addition, the use of drinking water-compliant materials ensures optimal hygiene.



XERIS SC small


HD-K: High-pressure cold water

HD-M: High-pressure mixed water,
with temperature regulator
(not shown)

XERIS SC mid.

HD-K: High-pressure cold water
(not shown)

HD-M: High-pressure mixed water,
with temperature regulator



Easy actuation, also for children

Thanks to the low actuation resistance "Easy Touch", XERIS SC is well suited for kindergartens and primary schools, as well as care facilities.



SCHELL GmbH & Co. KG
Valve Technology
Raiffeisenstrasse 31
57462 Olpe
Germany
Tel. +49 2761 892-0
Fax +49 2761 892-199
info@schell.eu
www.schell.eu